



## ecoFIT tee 90° equal SDR17/17.6

### Model:

- Material: PE100
- Conventional butt-welding according to DVS 2207
- IR = Infrared-(IR Plus) compatible. Choose fusion parameters: PE100

d (mm)	FM	Code	Weight (kg)	L (mm)	L1 (mm)	e (mm)
50	IR	<b>753 208 510</b>	0.086	90	57	2.9
63	IR	<b>753 208 511</b>	0.187	107	64	3.6
75	IR	<b>753 208 412</b>	0.232	74	20	4.8
90	IR	<b>753 208 413</b>	0.408	90	20	5.6
110	IR	<b>753 208 414</b>	0.724	110	20	6.9
125	IR	<b>753 208 515</b>	1.169	125	52	7.1
140	IR	<b>753 208 516</b>	1.805	157	62	8.0
160	IR	<b>753 208 517</b>	2.375	160	57	9.1
180	IR	<b>753 208 518</b>	4.095	214	96	10.2
200	IR	<b>753 208 519</b>	5.145	220	93	11.4
225	IR	<b>753 208 520</b>	7.140	225	76	12.8
250		<b>753 208 521</b>	7.670	225	67	14.2
280		<b>753 208 522</b>	10.900	264	86	15.9
315		<b>753 208 523</b>	14.870	282	87	17.9
355		<b>753 208 524</b>	21.800	345	105	21.1
400		<b>753 208 525</b>	28.600	365	105	23.7
450		<b>753 208 526</b>	42.400	425	135	26.7
500		<b>753 208 527</b>	57.600	470	155	29.7

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: [info.ps@georgfischer.com](mailto:info.ps@georgfischer.com)

Internet: <http://www.gfps.com>