

## Product No:IDD3-50-D480-A

### NOVARIS DELTA SPD FOR 480VAC, 50KA DISCHARGE IDD3-50-D480-A

#### FEATURES

- Shunt connection
- Maximum backup fuse 32A
- TS35 DIN Rail mounting
- Degree of protection IP20



#### General Information

Brand	NOVARIS
Product Type	Surge Protection Device
Series	IDD3

#### Technical Attributes

Connection Type	Shunt
Lightning Impulse Current (10/350 $\mu$ s) - Iimp (kA)	6.25 (L-PE)
Maximum Continuous Operating Voltage MCOV AC (V)	480 (L-L)
Maximum Continuous Operating Voltage MCOV DC (V)	670 (L-L)
Maximum Discharge Current (8/20 $\mu$ s) - I <sub>max</sub> (kA)	50 (L-PE)
No. of Poles	3P+PE
Nominal Discharge Current (8/20 $\mu$ s) - I <sub>n</sub> (kA)	20 (L-PE)
Nominal Voltage AC (V)	400
Voltage Protection Level - U <sub>p</sub> (kV)	<1.5 (L-PE)

#### Physical Attributes

Mounting Type	DIN Rail
---------------	----------

#### Dimensions

Dimensions (mm)	54W x 70H x 95L
Weight (g)	400

## Protection & Standards

Degree of Protection

IP20

## Resources

Product catalogue (Flipbook)

[Download from here](#)

TECHNICAL DRAWING

