





Alternate Shorting Link

Alternate type links are available for cross connection in Spring Clamp Terminal Blocks. The links need to be inserted into the rectangular slots provided in the current bar of the Terminal Block.

PRODUCT SPECIFICATION		ORDERING INFORMATION		
24 A	CAT. NO.	DESCRIPTION	STD. PACK	
	JX2.5/2	Shorting Link for 2.5 sq mm series	100	
	JX2.5/3	Shorting Link for 2.5 sq mm series	50	
	JX2.5/4	Shorting Link for 2.5 sq mm series	50	
	JX2.5/5	Shorting Link for 2.5 sq mm series	50	
	JX2.5/6	Shorting Link for 2.5 sq mm series	50	
	JX2.5/7	Shorting Link for 2.5 sq mm series	10	
	JX2.5/8	Shorting Link for 2.5 sq mm series	10	
	JX2.5/10	Shorting Link for 2.5 sq mm series	10	
	JX2.5/20	Shorting Link for 2.5 sq.mm series	10	
		SUITABLE FOR		
	CX2.5/4(E)D2		sq.mm Terminal Blocks D2 configuration	
	CX2.5/4(E)R4	CX2.5/4(E)R4 : 2.5 with resistor circuit	sq.mm Terminal Blocks - R4 configuration	
	CXDL2.5(E)D2	2.5 sq.mm Termina circuit - D2 configur	I Blocks with diode ation	
	CXDL2.5(E)DD2	2.5 sq.mm Termina circuit - DD2 config	I Blocks with diode uration	
	CXDL2.5(E)DD4	2.5 sq.mm Termina circuit - DD4 config	I Blocks with diode uration	
	CXDL2.5(I.S)	2.5 sq.mm Multiple shorted Terminal B points.	Connection Internally ocks with 4 connection	
	CXDL2.5/3(E)DD6	2.5 sq.mm Termina circuit - DD6 config	I Blocks with diode uration	
	CXDL2.5/3(E)LD1	2.5 sq.mm Double with LED indication	Level Terminal Blocks -LD1 Configuration	
	CXDL2.5/3(I.S)	2.5 sq.mm Double Spring Clamp Intern Blocks	Level Multiconnection nally Shorted Terminal	
	CXDLG2.5/2B	2.5 sq.mm Double Spring Clamp Term	Level Ground/Earth inal Blocks	
	CXM2.5	2.5 sq. mm Micro s Blocks.	pring clamp Terminal	
	CXS2.5	2.5 sq.mm Spring C Side Entry Termina	Clamp Feed Through I Blocks	
	CP2.5/3	2.5 sq.mm Push In Terminal Blocks	Feed Through compact	
	CPDL2.5(E)DD1	2.5 sq.mm Termina connection with dio configuration	I Blocks in Pushin de circuit - DD1	
	CPDLG2.5(I.S)	2.5 sq.mm Multiple Terminal Blocks wit	Connection Earthing h 4 connection points.	
	CPDLK2.5(I.S)	2.5 sq.mm knife dis double level interna Terminal block.	connecting Push in Ily shorted compact	
	CPTL2.5(I.S)	2.5 sq.mm Three L Push in Terminal B	evel, Internally Shorted, lock	
	ODL2.5	2.5 sg.mm Offset D	ouble Level Terminal	



THE RIGHT CONNECTION

	SUITABLE FOR		
ODL2.5A(I.S)	2.5 sq.mm 2 Level Offset internally shorted stackable type Terminal Block in Grey colour		
ODLG2.5A(I.S)	2.5 sq.mm offset stackable Double Level Earthing Terminal Blocks.		
CX2.5/3/1B	2.5 sq.mm pluggable feed through Spring Clamp Terminal Block		
CX2.5/4(E)D1	CX2.5/4(E)D1 : 2.5 sq.mm Terminal Blocks with diode circuit - D1 configuration		
CX2.5/4(E)R1	CX2.5/4(E)R1 : 2.5 sq.mm Terminal Blocks with resistor circuit - R1 configuration		
CXDL2.5	2.5 sq.mm Double Level Spring Clamp Terminal Blocks		
CXDL2.5(E)D1	2.5 sq.mm Terminal Blocks with diode circuit - D1 configuration		
CXDL2.5(E)DD1	2.5 sq.mm Terminal Blocks with diode circuit - DD1 configuration		
CXDL2.5(E)DD4	2.5 sq.mm Terminal Blocks with diode circuit - DD4 configuration		
CXDL2.5(E)DD4	2.5 sq.mm Terminal Blocks with diode circuit - DD4 configuration		
CXDL2.5(E)LD1	2.5 sq.mm Double Level Terminal Blocks with LED indication -LD1 Configuration		
CXDL2.5/3(E)D1	2.5 sq.mm Terminal Blocks with diode circuit - D1 configuration		
CXDL2.5/3(E)D3	2.5 sq.mm Terminal Blocks with diode circuit - D3 configuration		
CXDL2.5/3/2B(I.S)	2.5 sq.mm double level multiple connection pluggable spring clamp terminal block internally shorted.		
CXDLG2.5/2B/I.S	pluggable feed through Spring Clamp Ground Terminal Block Internally shorted in Green Yello colour		
CXG2.5/3	2.5 sq.mm Ground/Earth Spring Clamp Terminal Blocks		
CXG2.5/3/1B	2.5 sq.mm pluggable feed through Spring Clamp Ground Terminal Block		
CXG2.5/4/2B	2.5 sq.mm Ground/Earth Spring Clamp Terminal Blocks		
CXMG2.5	2.5 sq.mm feed Through Ground/Earth Spring Clamp Terminal Blocks		
CP2.5	2.5 sq.mm Push in Feed Through compact Terminal Blocks		
CP3L2.5N	2.5 sq.mm Triple Level Push in Terminal Blocks		
CPDL2.5(E)D1	2.5 sq.mm Terminal Blocks with diode circuit - D1 configuration		
CPDL2.5(E)D2	2.5 sq.mm Terminal Blocks with diode circuit - D2 configuration		
CPDL2.5(E)DD5	2.5 sq.mm Terminal Blocks in push-in connection with diode circuit - DD5 configuration		
CPDLG2.5	2.5 sq.mm Double Level Earthing Terminal Blocks.		
CPDLKFT2.5(I.S)	2.5 sq.mm knife disconnecting Push in double level compact Terminal block.		
CPG2.5	2.5 sq.mm Ground/Earth Push in Terminal Blocks		
CPG2.5/3	2.5 sq.mm Ground/Earth Push in Terminal Blocks		
CPTLG2.5	2.5 sq.mm Three Level Earthing Terminal Blocks.		





connectwell THE RIGHT CONNECTION

SUITABLE FOR		
CY2.5	2.5 sq.mm, 5 mm thick Feed Through Terminal Block	
CY2.5	2.5 sq.mm, 5 mm thick Feed Through Terminal Block	
CYG2.5	2.5 sq.mm Ground / Earth Terminal Blocks	
CYK2.5	2.5 sq.mm Knife Type Disconnect and Test Terminal Blocks	
ODL2.5A	2.5 sq.mm 2 Level Offset stackable type Terminal Block in Grey colour	
CX2.5/3	2.5 sq.mm Spring Clamp Feed Through compact Terminal Blocks	
CX2.5/4	2.5 sq.mm Spring Clamp Feed Through compact Terminal Blocks	
CX2.5/4/2B	2.5 sq.mm pluggable 4 wire feed through Spring Clamp Terminal Block	
CX2.5/4/4B	2.5 sq.mm pluggable 4 wire feed through Spring Clamp Terminal Block	
CXCC2.5/4	2.5 sq.mm Component carrier spring clamp terminal block	
CXDL2.5(E)DD1	2.5 sq.mm Terminal Blocks with diode circuit - DD1 configuration	
CXDL2.5(E)DD2	2.5 sq.mm Terminal Blocks with diode circuit - DD2 configuration	
CXDL2.5(E)DD3	2.5 sq.mm Terminal Blocks with diode circuit - DD3 configuration	
CXDL2.5(E)DD3	2.5 sq.mm Terminal Blocks with diode circuit - DD3 configuration	
CXDL2.5(E)LD2	2.5 sq.mm Double Level Terminal Blocks with LED indication -LD2 Configuration	
CXDL2.5(E)TS1	2.5 sq.mm Double Level Terminal Blocks with Temperature Sensor indication - TS1 Configuration	
CXDL2.5/2B	2.5 sq.mm pluggable feed through Spring Clamp Terminal Block	
CXDL2.5/2B/I.S	pluggable feed through Spring Clamp Terminal Block Internally shorted	
CXDL2.5/3	2.5 sq.mm Double Level Multiconnection Spring Clamp Terminal Blocks	
CXDL2.5/3(E)TS1	2.5 sq.mm Double Level Terminal Blocks with Temperature Sensor indication - TS1 Configuration	
CXDL2.5/3/2B	2.5 sq.mm double level multiple connection pluggable spring clamp terminal block.	
CXDLG2.5(I.S)	2.5 sq.mm Multiple Connection Earthing Terminal Blocks with 4 connection points.	
CXDLG2.5/3	2.5 sq.mm Double Level Multiconnection Spring Clamp Ground Terminal Blocks	
CXG2.5	2.5 sq.mm Ground/Earth Spring Clamp Terminal Blocks	
CXG2.5/4	2.5 sq.mm Ground/Earth Spring Clamp Terminal Blocks	
CXK2.5	2.5 sq.mm Spring Clamp knife disconnecting compact Terminal Blocks	
CXK2.5/4	2.5 sq.mm Spring Clamp knife disconnecting compact Terminal Blocks	
CPDL2.5(E)DD4	2.5 sq.mm Terminal Blocks in push-in connection with diode circuit - DD4 configuration	
CPDL2.5(E)LD1	2.5 sq.mm Double Level Terminal Blocks with LED indication for LD1 Configuration	
CPDL2.5(E)TS1	2.5 sq.mm Double Level Terminal Blocks with Temperature Sensor indication - TS1 Configuration	



THE RIGHT CONNECTION

SUIT	SUITABLE FOR		
CPDL2.5(I.S)	2.5 sq.mm Multiple Connection Internally Shorted Terminal Blocks with 4 connection points.		
CPDLKFT2.5	2.5 sq.mm knife disconnecting + feedthrough Push in double level compact Terminal block.		
CPG2.5/4	2.5 sq.mm Ground/Earth Push in Terminal Blocks		
CPTL2.5	2.5 sq.mm Triple Level Push in Terminal Blocks		
CYK2.5/S	2.5 sq.mm Knife Type Disconnect and Test Terminal Blocks with socket headed screw		
CYK2.5NFT	2.5 sq.mm Feed Through Terminal Block		
ODLG2.5	2.5 sq.mm offset Double Level Earthing Terminal Blocks.		
ODLG2.5A	2.5 sq.mm offset stackable Double Level Earthing Terminal Blocks.		
CX2.5	2.5 sq.mm Spring Clamp Feed Through compact Terminal Blocks		
CX2.5/1B	2.5 sq.mm pluggable feed through Spring Clamp Terminal Block		
CX2.5/2B	2.5 sq.mm pluggable feed through Spring Clamp Terminal Block		
CX2.5/4(E)R3	CX2.5/4(E)R3 : 2.5 sq.mm Terminal Blocks with resistor circuit - R3 configuration		
CX2.5/4P	CX2.5/4P, feed through spring clamp compact Terminal block.		
CXDL2.5(E)D2	2.5 sq.mm Terminal Blocks with diode circuit - D2 configuration		
CXDL2.5(E)D3	2.5 sq.mm Terminal Blocks with diode circuit - D3 configuration		
CXDLG2.5	2.5 sq.mm Double Level Earthing Terminal Blocks.		
CXDLG2.5/3(I.S)	2.5 sq.mm Double Level Multiconnection Spring Clamp Ground Terminal Blocks		
CXG2.5/1B	2.5 sq.mm Ground/Earth Spring Clamp Terminal Blocks		
CXG2.5/2B	2.5 sq.mm Ground/Earth Spring Clamp Terminal Blocks		
CXG2.5/4/2B	2.5 sq.mm Ground/Earth 4 wire Spring Clamp Terminal Blocks		
CXG2.5/4/4B	2.5 sq.mm Ground/Earth 4 wire Spring Clamp Terminal Blocks		
CXSG2.5	2.5 sq.mm feed Through Ground/Earth Spring Clamp Terminal Blocks		
CP2.5/4	2.5 sq.mm Push in Feed Through compact Terminal Blocks		
CPDL2.5	2.5 sq.mm Double Level Push in Terminal Blocks		
CPDL2.5(E)D3	2.5 sq.mm Terminal Blocks with in Push In Connection with diode circuit - D3 configuration		
CPDL2.5(E)DD2	2.5 sq.mm Terminal Blocks in pushin connection with diode circuit - DD2 configuration		
CPDL2.5(E)DD3	2.5 sq.mm Terminal Blocks in Push in with diode circuit - DD3 configuration		
CPDL2.5(E)DD6	2.5 sq.mm Terminal Blocks in push-in connection with diode circuit - DD6 configuration		
CPDLK2.5	2.5 sq.mm knife disconnecting Push in double level compact Terminal block.		



THE RIGHT CONNECTION

SUITABLE FOR		
CPK2.5	CPK2.5 : 2.5 sq.mm Push in Knife Disconnecting Compact Terminal Blocks	
CPTLG2.5(I.S)	2.5 sq.mm Three Level Internally Shorted Earthing Terminal Blocks	
CYDL2.5	2.5 sq.mm Double Level Terminal Blocks.	
CYK2.5N	2.5 sq.mm Knife Type Disconnect and Test Terminal Blocks	
ODL2.5(I.S)	2.5 sq.mm offset double Level Internally Shorted Terminal Blocks.	
ODLG2.5(I.S)	2.5 sq.mm offset internally Double Level Earthing Terminal Blocks.	