

## Product No: SL2-7V5-EC90

### NOVARIS HIGH ENERGY SIGNAL LINE SURGE PROTECTOR 1 PAIR 20kA SL2-7V5-EC90

#### FEATURES

- - Plug-in signal line protector
- - Multistage protection
- - For most twisted pair signalling schemes
- - Visual indicator & Alarm contacts



#### General Information

Brand	NOVARIS
Product Type	Signal Line Protector
Series	SL2

#### Technical Attributes

Connection Type	Series
Lightning Impulse Current (10/350 $\mu$ s) - Iimp (kA)	2.5 (per line), 5 (common mode)
Maximum Continuous Operating Voltage MCOV AC (V)	5
Maximum Continuous Operating Voltage MCOV DC (V)	7
Maximum Discharge Current (8/20 $\mu$ s) - I <sub>max</sub> (kA)	10 (per line), 20 (common mode)
Maximum Load Current - I <sub>N</sub> (A)	0.25
No. of Pairs	1
Voltage Protection Level (3kA 8/20 $\mu$ s) - U <sub>p</sub> (kV)	0.015 (L-L), 0.6 (L-PE)

#### Physical Attributes

Base Option	EC90 (Indirect Earthing)
Mounting Type	DIN Rail
Operational Temperature Range (°C)	-40 to 70

#### Dimensions

Dimensions (mm)	110H x 12W x 71D
-----------------	------------------

## Protection & Standards

Degree of Protection	IP20
Standards and Approvals	IEC 61643-21, AS/NZS 1768, UL497, AS/NZS4117, AS7708

## Resources

Product catalogue (Flipbook)	<a href="#">Download from here</a>
------------------------------	------------------------------------