

## Product No: IS-SLT1-36-M20

### NOVARIS SURGE PROTECTOR IS-SLT1-36-M20 INTRINSICALLY SAFE IS-SLT1-36-M20

#### FEATURES

- - Transverse & common mode protection
- - Thread size M20 x 1.5
- - GDT and MOV protection stages
- - 0.75mm<sup>2</sup> flying leads



#### General Information

Brand	NOVARIS
Product Type	Signal Line Protector
Series	IS-SLT

#### Technical Attributes

Connection Type	Shunt
Maximum Continuous Operating Voltage MCOV AC (V)	30
Maximum Continuous Operating Voltage MCOV DC (V)	36
Maximum Discharge Current (8/20 $\mu$ s) - I <sub>max</sub> (kA)	5 (per line), 10 (common mode)
No. of Pairs	1
Thread Size	M20 x 1.5
Voltage Protection Level (1kV/ $\mu$ s) - Up (kV)	0.075 (L-L), 0.35 (L-PE)

#### Physical Attributes

Operational Temperature Range (°C)	-20 to 40
------------------------------------	-----------

#### Dimensions

Dimensions (mm)	24W x 27H x 53L
Weight (g)	135

#### Protection & Standards

Degree of Protection	IP67
----------------------	------

21, AS/NZS 1768, UL 1449

Resources

Product catalogue (Flipbook)

[Download from here](#)

TECHNICAL DRAWING

# IS-SLT1-...

