



## External Comb Type Shorting Link

External shorting links bridge potentials between terminal blocks, reducing wiring time. Adjacent or selected blocks within an assembly can be easily interconnected. Individual links may be removed for selective shorting. These are insulated and available in 2, 3, 4 and 10 pole versions. They are made of tin plated brass/copper. Comb Link must be tightened to the recommended torque specified to get a reliable connection.

PRODUCT SPECIFICATION		
Rated Current	32 A	
Torque	0.8 Nm	

ORDERING INFORMATION			
CAT. NO.	DESCRIPTION	STD. PACK	
CA711/2	External Comb Type Shorting Link available in 2 Pole	100	
CA711/3	External Comb Type Shorting Link available in 3 Pole	50	
CA711/4	External Comb Type Shorting Link available in 4 Pole	50	
CA711/10	External Comb Type Shorting Link available in 10 Pole	20	

SUITABLE FOR		
CF4U	4 sq.mm Single Level Fuse Terminal Blocks	
CF4UCR	4 sq.mm Single Level Corrosion Resistant Fuse Terminal Blocks	
CF4UL	4 sq.mm Single Level Fuse Terminal Blocks with LED indication.	
CF4UL	4 sq.mm Single Level Fuse Terminal Blocks with LED indication.	
CF4UL10-36V	4 sq.mm Single Level Fuse Terminal Blocks with LED indication.	
CF4UEX	4 sq.mm Single Level Fuse Terminal Blocks	
CF4ULRP	4 sq.mm Single Level Fuse Terminal Blocks with LED indication.	
CF4UV0	4 sq.mm Single Level Fuse Terminal Blocks	
DDFL4UELR	4 sq.mm Double Level Fuse Terminal Blocks with two equi-potential points on each side and offline LED indication.	
CF4UL V0	4 sq.mm Single Level Fuse Terminal Blocks with LED indication.	
DDFL4UE	4 sq.mm Double Level Fuse Terminal Blocks with offline LED indication.	
CSDL4U	4 sq.mm Disconnect & Test Terminal Blocks - With Disconnecting Brass Link.	
CF4UL10-36V	4 sq.mm Single Level Fuse Terminal Blocks with LED indication.	
DDDL4U	4 sq.mm Disconnect & Test Terminal Blocks with disconnecting link.	
DDDL4ULR	4 sq.mm Disconnect & Test Terminal Blocks with disconnecting link.	
DDFL4U	4 sq.mm Double Level Fuse Terminal Blocks.	
DDFL4ULR	4 sq.mm Double Level Fuse Terminal Blocks with two equi-potential points on each side.	
CSFL4U	4 sq.mm Fuse Terminal Blocks.	
CSFL4UL	4 sq.mm Fuse Terminal Blocks with offline LED indication.	