



Product No: SSP1-16-15-275

NOVARIS SSP1 SURGE PROT. 230VAC 15KA SSP1-16-15-275

FEATURES

- - Compact design
- - All Mode Protection
- - LED status
- - Installation independent performance
- - Safe metal enclosure



General Information

Brand	NOVARIS
Product Type	Surge Protection Device
Series	SSPI

Technical Attributes

Connection Type	Series
Maximum Continuous Operating Voltage MCOV AC (V)	275 (L-N), 255 (N-PE)
Maximum Discharge Current (8/20 μ s) - I _{max} (kA)	15 (L-N), 25 (N-PE)
Maximum Load Current - I _n (A)	16
No. of Phases	1
No. of Poles	1P+N+PE
Nominal Discharge Current (8/20 μ s) - I _n (kA)	5 (L-N), 10 (N-PE)
Nominal Voltage AC (V)	230
Voltage Protection Level - U _p (kV)	<1 (L-N)

Physical Attributes

Mounting Type	DIN rail
Operational Temperature Range (°C)	-40 to 70

Dimensions

Dimensions (mm)	18W x 69H x 115L
Weight (g)	150



Protection & Standards

Degree of Protection IP20

Standards and Approvals IEC 61643-11, AS/NZS 1768, UL 1449, IEEE 62.41.2

Resources

IPD Product Catalogue V17 [Download from here](#)



TECHNICAL DRAWING

