



PRODUCT-DETAILS

WB1SL0820A00**WB1SL0820A00 Junction Box Surface mounting General****General Information**

Extended Product Type	WB1SL0820A00
Product ID	1SL0851A00
EAN	8000126233421
Catalog Description	WB1SL0820A00 Junction Box Surface mounting General
Long Description	IP65-SMOOTH-LOW LID-100X100X80-1/4 TS - GWT 650°C

Technical

Application	General
Suitable For	IP44-IP55-IP65 junction boxes in thermoplastic material
Rated Insulation Voltage (U _i)	1500 V
Cover Mounting Type	Screw
Mounting Type	Surface mounting
Product Type	IP44-55-65
Screw Type	Plastic
Shape	Rectangular
Surface Finishing	Untreated

Enclosure Material	thermoplastic
Material	Plastic
Cover Style	Blind Cover
RAL Number	RAL 7035 - Light Grey
Color	grey

Material Compliance

RoHS Information	9AKK108468A2381
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20221015
REACH Declaration	9AKK108469A7731
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240429
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Degree of Protection	IP65
Protection Class	Isolated (Class II)
Environmental Information	1SLC001001D0905

Dimensions

Product Net Width	100 mm
Product Net Height	100 mm
Product Net Depth / Length	80 mm
Product Net Weight	0.255 kg

Ordering

Package Level 1 Units	box 40 piece
Package Level 1 Gross Weight	10.2 kg

Certificates and Declarations

Declaration of Conformity - CE	9AKK108468A2381
--------------------------------	-----------------

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Popular Downloads

Classifications

ETIM 8	EC002600 - Box/housing for surface mounting on the wall/ceiling
ETIM 9	EC002600 - Box/housing for surface mounting on the wall/ceiling
WEEE Category	Product Not in WEEE Scope
eClass	V11.0 : 27144401
Object Classification Code	U

Categories

Low Voltage Products and Systems → Enclosures → Installation Material → Junction Boxes → Surface Mounted

