

JX6/2



connectwell
THE RIGHT CONNECTION

Alternate Shorting Link

Alternate type links are available for cross connection in Spring Clamp Terminal Blocks. The links need to be inserted into the rectangular slots provided in the current bar of the Terminal Block.

PRODUCT SPECIFICATION

Rated Current	41 A
---------------	------

ORDERING INFORMATION

CAT. NO.	DESCRIPTION	STD. PACK
JX6/2	Shorting Link for 8 mm wide TB	100
JX6/3	Shorting Link for 8 mm wide TB	50
JX6/4	Shorting Link for 8 mm wide TB	50
JX6/10	Shorting Link for 8 mm wide TB	10

SUITABLE FOR

CPAF6	6 sq.mm Push in Fuse Terminal Block with Automotive Fuse
CPG6/10	10 sq.mm Ground/Earth Push In Compact Terminal Blocks
CPK6	CPK6 : 10 sq.mm Push in Knife Disconnecting Compact Terminal Blocks
CXDB35/10A	Modular Distribution Blocks with 10 sq.mm Output connections and 35 sq.mm Input Connection with Allan screw
CXS6	6 sq.mm Spring Clamp Feed Through Side Entry Terminal Blocks
CX6	6 sq.mm Spring Clamp Feed Through compact Terminal Blocks.
CXG6/3	6 sq.mm Spring Clamp Feed Through compact Terminal Blocks
CPF6	10 sq.mm Push in Fuse Terminal Blocks
CX6/3	6 sq.mm Spring Clamp Feed Through compact Terminal Blocks
CXDB35/10	Modular Distribution Blocks with 10 sq.mm Output connections and 35 sq.mm Input Connection
CXG6	6 sq.mm Ground/Earth Spring Clamp Compact Terminal Blocks
CXSG6	6 sq.mm Spring Clamp Feed Through Side Entry Ground Terminal Blocks
CP6/10	10 sq.mm Push In Feed Through compact Terminal Blocks.
CP6/10/3	10 sq.mm Push In Feed Through compact Terminal Blocks
CPCC6	10 sq.mm Component carrier spring clamp terminal block
CPG6/10/3	10 sq.mm Ground/Earth Push in Terminal Blocks