

PRODUCT-DETAILS

# WKMIU

## WKMIU Connecting Link




---

### General Information

Extended Product Type	WKMIU
Product ID	1SAL101421R9906
EAN	4013614550591
Catalog Description	WKMIU Connecting Link
Long Description	The WKMIU reversing connecting link is used to connect two MC contactors mounted side by side, and is made up of 1 upstream and 1 downstream connections. The WKMIU reversing connecting link is insulated and made of solid copper bars. The WKMIU reversing connecting link ensures a quick and safe connection of the contacts.

---

### Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

---

### Popular Downloads

Instructions and Manuals	2CDC102081M9901
CAD Dimensional Drawing	2CDC001079B0201

---

### Dimensions

Product Net Width	83 mm
Product Net Height	20 mm

Product Net Depth / Length	28 mm
Product Net Weight	0.03 kg

## Technical

Standards	IEC/EN 60947-1 IEC/EN 60947-4-1 UL 60947-1 UL 60947-4-1
Product Name	Connecting Link
Suitable For	MC1 MC2
Suitable for Product Class	Mini Contactors

## Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

## Certificates and Declarations

cULus Certificate	cUL E191658
Declaration of Conformity - CE	1SAD101100-3201
Declaration of Conformity - UKCA	1SAD201100-3201

## Container Information

Package Level 1 Width	98 mm
Package Level 1 Depth / Length	40 mm
Package Level 1 Height	28 mm
Package Level 1 Gross Weight	0.05 kg
Package Level 1 EAN	4013614550591
Package Level 1 Units	box 1 piece

## Classifications

ETIM 5	EC002498 - Accessories for low-voltage switch technology
ETIM 6	EC002498 - Accessories for low-voltage switch technology
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.0 : 27371392
E-Number (Finland)	3709492

## Categories

Low Voltage Products and Systems → Control Products → Contactors → Mini Contactors Accessories

