

Product No: OTM63F2C21D230C**ABB OTM63F2C21D230C AUTOMATIC TRANSFER SWITCH
OTM63F2C21D230C****FEATURES**

- Adjustable operating parameters allows customisation and fine-tuning parameters
- Direct mounted handle simplifies manual operation of the switch
- Open transition
- Switched – simultaneous function (fourth pole)

**General Information**

Brand	ABB
Product Type	Compact Automatic
Suitable For	Distribution Board Installation
Type	Main Switch

Technical Attributes

Indication	I-O-II
Integrated Motor Drive	Yes
Maximum Operational Voltage AC (V)	240
Mode of Operation	Front
No. of Poles	2
No. of Switches	1
Padlockable	Padlockable in O-position
Position of Line Terminals	Supplies on Top – Load on Bottom
Power Loss (W)	2.8
Rated Current (A)	63
Rated Impulse Withstand Voltage (kV)	8
Rated Insulation Voltage (V)	800
Rated Operational Voltage AC (V)	220/230-240
Rated Short-Time Withstand Current – I _{cw} (kA)	2.5
Terminal Type	Screw
Transition Type	Open



Physical Attributes

Handle Type	Pistol
Mounting Type	Front Mount 4-hole

Dimensions

Dimensions (mm)	103H x 131D
Weight (kg)	1.75

Protection & Standards

Degree of Protection	IP20
NEMA Degree of Protection	1
Pollution Degree	3

Resources

Product catalogue (Flipbook)	Download from here
------------------------------	------------------------------------