

PRODUCT-DETAILS

PSEEK

PSEEK EXTERNAL KEYPAD



General Information

Global Commercial Alias	PSEEK
Extended Product Type	PSEEK
Product ID	1SFA897100R1001
ABB Type Designation	PSEEK
EAN	7320500408292
Catalog Description	PSEEK EXTERNAL KEYPAD
Long Description	External keypad for PSE with 3m cable included

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Product Main Type	PSEEK

Popular Downloads

Data Sheet, Technical Information	1SFC132012C0201
Instructions and Manuals	1SFC132061M0201
CAD Dimensional Drawing	2CDC001079B0201

Dimensions

Product Net Width	88.25 mm
Product Net Depth / Length	114.73 mm
Product Net Height	23.7 mm
Product Net Weight	0.171 kg

Technical

Suitable For	PSE
Suitable for Product Class	Softstarters

Environmental

Ambient Air Temperature	Operation -25 ... +60 °C Storage -40 ... +70 °C
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
RoHS Information	2CMT2022-006500
RoHS Status	Following EU Directive 2011/65/EU
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of Conformity - CE	2CMT003734D0011
--------------------------------	-----------------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	185 mm
Package Level 1 Depth / Length	140 mm
Package Level 1 Height	160 mm
Package Level 1 Gross Weight	0.324 kg
Package Level 1 EAN	7320500408292

Classifications

eClass	V11.1 : 27371392
E-Number (Norway)	4189724
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
IDEA Granular Category Code (IGCC)	4740 >> Soft starter
Object Classification Code	Q
UNSPSC	39121521

Categories

Drives → Softstarters → Softstarters Accessories → Accessories for Softstarters

Low Voltage Products and Systems → Control Products → Softstarters → Softstarters Accessories → Accessories for Softstarters

