

Product No: SFMI-63-200-275

NOVARIS SURGE FILTER, 3-STAGE, L-N/L-PE/N-PE, 230VAC, IP20 SFMI-63-200-275

FEATURES

- - Medium Current Filters
- - Percentage Active Display
- - Three Stages of Protection
- - All Mode Protection
- - Active Alarm



General Information

Brand	NOVARIS
Product Type	Surge Filter
Series	SFMI

Technical Attributes

Connection Type	Series
Lightning Impulse Current (10/350 μ s) - I_{imp} (kA)	25
Maximum Continuous Operating Voltage MCOV AC (V)	275 (L-N)
Maximum Discharge Current (8/20 μ s) - I_{max} (kA)	200
Maximum Load Current - I_N (A)	63
No. of Phases	1
No. of Poles	1P+N+PE
Nominal Discharge Current (8/20 μ s) - I_n (kA)	80
Nominal Voltage AC (V)	230
Voltage Protection Level (3kA 8/20 μ s) - U_p (kV)	<0.36 (L-N)

Physical Attributes

Mounting Type	Panel
Operational Temperature Range (°C)	-40 to 70

Dimensions

Dimensions (mm)	344H x 284W x 110D
Weight (kg)	15

Protection & Standards

Degree of Protection	IP20
Standards and Approvals	IEC 61643-11, AS/NZS 1768

Resources

Product catalogue (Flipbook)	Download from here
------------------------------	------------------------------------

TECHNICAL DRAWING

