

Product No: 48290753

SOCOMEC DC CURRENT SENSORS 300A SPLIT-CORE 48290753

FEATURES

- Quick RJ12 connection makes wiring easy and reliable
- Plug and play, fast configuration of the sensor's rating
- Easy to install, ideal for installations with limited space available
- Colour coded cables allows for ease of identification and prevents wiring errors
- Open-loop Hall effect sensors
- Accuracy of current measurements: Split core sensors < 2%
- Category III overvoltage
- 4-point male Molex terminal strip

General Information

| Brand | SOCOMEC |
|--------------|----------------|
| ETIM Class | EC002048 |
| Model | DC |
| Product Type | Current Sensor |
| Series | DIRIS Digiware |

| Technical Attributes | |
|---|----------------------------|
| Accuracy Class | 0.5 |
| Calibrated | Yes |
| Connector Type | RJ12-Molex Connector Cable |
| Contact Protection | Yes |
| Overcurrent Limiting Factor | FS 10 |
| Rail Type | Copper Rail |
| Rated Current (A) | 300 |
| Rated Primary Current - Ipn (A) | 300 |
| Rated Secondary Apparent Power (VA) | 0.1 |
| Rated Secondary Current - I _{sn} (A) | 0.1 |



| Secondary Rated Current | Molex |
|-------------------------|------------|
| Sensor Type | Split Core |
| Voltage Type | DC |

| Physical Attributes | |
|------------------------------------|---------------|
| Mounting Type | Snap Mounting |
| Operational Temperature Range (°C) | -10 to +70 |

| Dimensions | |
|---------------|----|
| Aperture (mm) | 21 |
| Size of Frame | 1 |

| Protection & Standards | |
|------------------------|---------|
| Standards | IEC, UL |

 Resources

 Product catalogue (Flipbook)

 Download from here