


Product No: S802PVSP100

ABB S802PVSP100 MCB 5kA 2P 100A 800V DC PHOTOVOLTAIC

FEATURES

- - Maximum breaking capacity 5kA at 800V DC
- - Rated impulse withstand voltage Uimp 8 Kv
- - Cage terminals
- - Standards IEC/EN 60947-2



General Information

| | |
|-------|-----|
| Brand | ABB |
|-------|-----|

Technical Attributes

| | |
|--------------------------------------|------|
| Breaking Capacity 800V DC - Icu (kA) | 5 |
| Curve Type | B |
| No. of Poles | 2 |
| Power Loss (W) | 16 |
| Rated Current (A) | 100 |
| Rated Impulse Withstand Voltage (kV) | 8 |
| Rated Insulation Voltage DC (V) | 1500 |
| Rated Voltage DC (V) | 800 |

Dimensions

| | |
|-----------------|-------------------|
| Dimensions (mm) | 54W x 95H x 82.5D |
|-----------------|-------------------|

Protection & Standards

| | |
|----------------------|------|
| Degree of Protection | IP20 |
| Pollution Degree | 2 |

Resources

| | |
|------------------------------|------------------------------------|
| Product catalogue (Flipbook) | Download from here |
|------------------------------|------------------------------------|