

PRODUCT-DETAILS

KIT EF XT5 3pcs

KIT EF XT5 3pcs



General Information

Extended Product Type	KIT EF XT5 3pcs
Product ID	1SDA104734R1
EAN	8015644068264
Catalog Description	KIT EF XT5 3pcs
Long Description	EXTENDED FRONT TERMINALS 3pcs XT5

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KXT5EF-3PC
E-Number (Finland)	3642338
EAN	8015644068264
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.5 kg
--------------------	--------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	120 mm
Package Level 1 Height	180 mm
Package Level 1 Depth / Length	225 mm
Package Level 1 Gross Weight	0.526 kg
Package Level 1 EAN	8015644068264

Additional Information

Configuration Type	Loose or configurable
Number of Poles	3
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Standards	IEC60947-2 UL489
Suitable For	XT5
Suitable for Product Class	SACE Tamx XT
Terminal Connection Type	Front Extended

Certificates and Declarations

Data Sheet, Technical Information	1SDC210100D0206 1SDC210200D0206
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH002011A1802

Classifications

ETIM 7	EC002019 - Connection vane/phase spreader
--------	---

ETIM 8	EC002019 - Connection vane/phase spreader
ETIM 9	EC002019 - Connection vane/phase spreader
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals
UNSPSC	39121432
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371305

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

