

Product No: DGM TT385FM

DEHN GUARD M FM SURGE ARRESTER DGM TT385FM

FEATURES

- Multipole DEHNguard M surge arrester
- Consisting of a base part and plug-in protection modules
- High reliability due to "Thermo Dynamic Control" SPD monitoring device
- For protecting low-voltage consumer's installations against surges
- For installation in conformity with the lightning protection zone concept at the boundaries from 0B " 1 and higher



General Information

Brand	DEHN
Product Type	Surge Protection Device
Reference No.	952316
Suitable For	Power Supply Systems

Technical Attributes

Breaking Capacity AC (kA)	25
Lightning Impulse Current (10/350 μ s) - Iimp (kA)	12
Maximum Continuous Voltage AC (V)	385
Maximum Discharge Current (8/20 μ s) - I _{max} (kA)	40
No. of Conductors	4
Nominal Discharge Current (8/20 μ s) - I _n (kA)	20
Nominal Voltage AC (V)	230/400

Dimensions

Dimensions (mm)	72W x 90H x 66D
Weight (kg)	0.436

Protection & Standards

Degree of Protection	IP20
----------------------	------

Standards and Approvals	EN 61643-11
-------------------------	-------------

Resources

Product catalogue (Flipbook)	Download from here
------------------------------	------------------------------------