

Product No: 245657

STAHL 8040/11-V30-035-B INSTALLATION SWITCH TWO-WAY CIRCUIT 245657

FEATURES

- Installation switch OFF switch designed for hazardous areas
- 2 poles configuration
- Actuator equipped with NBR seal
- Rated for use with 220 VDC or 690 VAC
- Operating temperature range from -20 °C to +60 °C
- IP66 rated for dust and water resistance



General Information

Brand	STAHL
Product Type	Switch

Technical Attributes

Application	Application range (zones) - 1, 2, 21, 22
Contact Material	Silver-Nickel
Maximum Continuous Voltage AC (V)	690
Maximum Continuous Voltage DC (V)	220
No. of Poles	2
Rated Operational Current (A)	16
Rated Operational Voltage AC (V)	690
Rated Operational Voltage DC (V)	220
Tightening Torque (Nm)	1.8

Physical Attributes

Ambient Temperature Range (°C)	-20 to +60
Enclosure Material	Polyester, Glass fibre reinforced
Maximum Temperature (°C)	60
Minimum Temperature (°C)	-20

Dimensions

Cable Cross Section (mm ²)	1.5 - 4
--	---------

Protection & Standards

Certifications	European Union (ATEX), IECEx
Degree of Protection	IP66
Standards and Approvals	ATEX/IECEx

Resources

Product catalogue (Flipbook)	Download from here
------------------------------	------------------------------------