

Product No: OT800E03P

ABB OT 800E03P SWITCH-DISCONNECTOR OT 800E03P

FEATURES

- Side operated, 3 pole switch disconnector
- Mechanism is at left end of the switch
- Base mounted
- Terminal bolt kit included
- Degree of protection: Front IP00



General Information	
Brand	ABB
Included	Handle, Shaft
Product Type	Base Mount Load Break Switch
Suitable For	Distribution Board Installation
Туре	Main Switch

Technical Attributes	
Conventional Free-Air Thermal Current - Ith (A)	800
Conventional Thermal Current - Ithe (A)	800
Main Circuit Electrical Connection	Bolt Connection
Maximum Operational Voltage AC (V)	1000
Mode of Operation	Front operated
No. of Poles	3
Operating Mechanism	Mechanism at the End of the Switch 03 (Left Side)
Power Loss (W)	40/Pole
Rated Impulse Withstand Voltage (kV)	12
Rated Insulation Voltage (V)	1000
Rated Insulation Voltage (V) Rated Operational Current AC-21A 415V (A)	1000 800
Rated Operational Current AC-21A 415V (A)	800
Rated Operational Current AC-21A 415V (A) Rated Operational Current AC-22A 380-415V (A)	800
Rated Operational Current AC-21A 415V (A) Rated Operational Current AC-22A 380-415V (A) Rated Operational Current AC-22A 500V (A)	800 800 800



Rated Operational Current AC-23A 690V (A)	800
Rated Operational Power AC-23A 380-415V (kW)	450
Rated Operational Power AC-23A 400-415 V (kW)	450
Rated Operational Power AC-23A 500V (kW)	560
Rated Operational Power AC-23A 690V (kW)	800
Rated Operational Voltage (V)	1000
Rated Short-Time Withstand Current - Icw (kA)	20
Rated Short-time Withstand Current - Icw (kA/ls)	20
Rated Uninterrupted Current - Iu (A)	800
Terminal Type	Lug terminals

Physical Attributes	
Control Element Colour	Black
Handle Colour	Black
Handle Dimensions (mm)	158W x 45H x 66D
Handle Material	Plastic
Handle Type	Pistol
Interlockable	Yes
Mounting Type	Base Mount
Shaft Dimensions (mm)	12W x 12H x 185D
Terminal Width (mm)	39

Dimensions	
Cable Cross Section (mm²)	2 x 240
Dimensions (mm)	266W x 250H x 140D
Handle Length (mm)	125

Protection & Standards	
Degree of Protection - Handle	IP65
NEMA Degree of Protection	1
Pollution Degree	3
Standards and Approvals	IEC 60947-3



Resources	
Product catalogue (Flipbook)	<u>Download from here</u>