

CA711/2



connectwell
THE RIGHT CONNECTION

External Comb Type Shorting Link

External shorting links bridge potentials between terminal blocks, reducing wiring time. Adjacent or selected blocks within an assembly can be easily interconnected. Individual links may be removed for selective shorting. These are insulated and available in 2, 3, 4 and 10 pole versions. They are made of tin plated brass/copper. Comb Link must be tightened to the recommended torque specified to get a reliable connection.

PRODUCT SPECIFICATION

Rated Current	32 A
Torque	0.8 Nm

ORDERING INFORMATION

CAT. NO.	DESCRIPTION	STD. PACK
CA711/2	External Comb Type Shorting Link available in 2 Pole	100
CA711/3	External Comb Type Shorting Link available in 3 Pole	50
CA711/4	External Comb Type Shorting Link available in 4 Pole	50
CA711/10	External Comb Type Shorting Link available in 10 Pole	20

SUITABLE FOR

CF4UL V0	4 sq.mm Single Level Fuse Terminal Blocks with LED indication.
DDFL4UE	4 sq.mm Double Level Fuse Terminal Blocks with offline LED indication.
CSDL4U	4 sq.mm Disconnect & Test Terminal Blocks - With Disconnecting Brass Link.
CF4U	4 sq.mm Single Level Fuse Terminal Blocks
CF4UCR	4 sq.mm Single Level Corrosion Resistant Fuse Terminal Blocks
CF4UL	4 sq.mm Single Level Fuse Terminal Blocks with LED indication.
CF4UL	4 sq.mm Single Level Fuse Terminal Blocks with LED indication.
CF4UL10-36V	4 sq.mm Single Level Fuse Terminal Blocks with LED indication.
CF4UEX	4 sq.mm Single Level Fuse Terminal Blocks
CF4ULRP	4 sq.mm Single Level Fuse Terminal Blocks with LED indication.
CF4UV0	4 sq.mm Single Level Fuse Terminal Blocks
DDFL4UELR	4 sq.mm Double Level Fuse Terminal Blocks with two equi-potential points on each side and offline LED indication.
CF4UL10-36V	4 sq.mm Single Level Fuse Terminal Blocks with LED indication.
DDDL4U	4 sq.mm Disconnect & Test Terminal Blocks with disconnecting link.
DDDL4ULR	4 sq.mm Disconnect & Test Terminal Blocks with disconnecting link.
DDFL4U	4 sq.mm Double Level Fuse Terminal Blocks.
DDFL4ULR	4 sq.mm Double Level Fuse Terminal Blocks with two equi-potential points on each side.
CSFL4U	4 sq.mm Fuse Terminal Blocks.
CSFL4UL	4 sq.mm Fuse Terminal Blocks with offline LED indication.