

Product No: 110S10015M103001000

BD SENSORS DMP331 INDUSTRIAL PRESSURE TRANSMITTER DMP331 INDUSTRIAL PRESSURE TRA 110S10015M103001000

FEATURES

- Perfect thermal behaviour.
- Excellent long term stability.
- Pressure port G 1/2" flush from 100 mbar.



| General Information | |
|---------------------|------------------------|
| Brand | BD SENSORS |
| Product Series | DMP 331 |
| Product Type | Stainless Steel Sensor |
| Version | Standard |

| Technical Attributes | |
|--------------------------|--|
| Accuracy | Standard for pN< 0.4 bar: 0.50 % FSO |
| Application | Plant and machine engineering. Environmental engineering (water - sewage - recycling). Energy industry. |
| Electrical Connection | Male plug M12x1 (4-pin) / metal |
| Electrical Protection | Short-circuit protection: Permanent, Reverse polarity protection: No damage, but also no function, Electromagnetic compatibility: emission and immunity according to EN 61326. |
| Input Pressure (mbar) | -100100 |
| Mechanical Connection | G1/4" DIN 3852 |
| Mechanical Stability | Vibration: 10 g RMS (25 2000 Hz) according to DIN EN 60068-2-6. Shock: 500 g / 1 msec according to DIN EN 60068-2-27. |
| Operational Life | 100 million load cycles. |
| Output Signal | 4 20 mA / 2-wire |
| Permissible Temperatures | Medium: -40 125 °C Electronics / Environment: -40 85 °C |



| | Storage: -40 100 °C |
|--------------------|---------------------|
| Response Time (ms) | ≤ 10 |
| Seals | FKM |

| Resources | |
|------------------------------|--------------------|
| Product catalogue (Flipbook) | Download from here |