

Product No: 943 662-080

HIRSCHMANN 24V DC DIN RAIL POWER SUPPLY UNIT 943662080

FEATURES

- Rail power supply
- Power supply units can be connected in parallel
- IP20 Protection Class
- 24 months of guarantee period



General Information

Brand	HIRSCHMANN
Product Type	Power Supply Unit
Series	RPS
Software Diagnostics	LED (DC OK, Overload)

Technical Attributes

Electromagnetic Capability	10 V/m (80 MHz ... 2700 MHz)
Electrostatic Discharge (kV)	± 4 kV Contact Discharge; ± 8 kV Air Discharge
Maximum Nominal Output Voltage DC (V)	24
Operating Voltage Range	230V
Rated Maximum Operational Voltage AC (V)	240
Rated Minimum Operational Voltage AC (V)	100
Resistance to Vibrations	Operating: 2 ... 500Hz 0,5m ² /s ³
Surge Voltage (kV)	Power Lines: 2 kV (Line/Earth), 1 kV (Line/Line)
Transition Type	2 kV Power Line

Physical Attributes

Maximum Temperature (°C)	70
Minimum Temperature (°C)	-25
Mounting Type	DIN Rail
Operational Temperature Range (°C)	-25 - 70
Relative Humidity	5-95 %

Storage Temperature Range (°C)	-40 - 85
--------------------------------	----------

Dimensions

Dimensions (mm)	32W x 124H x 102D
-----------------	-------------------

Weight (g)	440
------------	-----

Protection & Standards

Degree of Protection	IP20
----------------------	------

Standards	CE
-----------	----

Resources

Product catalogue (Flipbook)	Download from here
------------------------------	------------------------------------
