

Product No: IC200CPUE05

EMERSON CPU TYPE E05CPU TYPE E05 IC200CPUE05

FEATURES

- Supports up to 64 modules with up to 2048 I/O points.
- Can be either autoconfigured or configured from a programmer using configuration software.
- 64KB of configurable memory for the application program, hardware configuration, registers, analog inputs, and analog outputs.
- Programming in Ladder Diagram and Instruction List.
- Non-volatile flash memory for program storage.
- Battery backup for program, data, and time of day clock.
- Run/Stop switch.
- Floating point (real) data functions.
- Embedded RS-232, RS-485, and Ethernet communications.
- Supports EZ Program Store device.
- 70mm height when mounted on DIN rail with power supply.



General Information

Brand	EMERSON
Product Type	CPU
Series	VersaMax

test cat desc attr

Discover the power of industrial automation with IPD's range of programmable logic controllers (PLCs). We offer a comprehensive selection of PLCs that cater to diverse industrial applications, with a focus on quality, reliability, and cutting-edge technology.

Industrial automation systems are instrumental in efficiently controlling and monitoring processes, machines, and devices in a computerized manner, alleviating repetitive tasks and enhancing productivity in various industries. These systems are designed to operate automatically, reducing the need for manual labour, and optimizing efficiency.

In the realm of automation, four types of systems are commonly employed, fixed automation, programmable automation, flexible automation, and integrated automation. Each type offers distinct advantages and applications, empowering businesses to streamline operations and achieve optimal results.

Benefits of Automation in Industrial Setting

- Reduced factory lead times
- Faster return on investment (ROI)
- Improved competitiveness in the market
- Consistent and enhanced part production and quality
- Smaller environmental footprint
- Improved planning capabilities
- Decreased reliance on outsourcing
- Optimal utilization of floor space

A programmable logic controller (PLC) is a highly capable solid-state control system that utilizes user-programmable memory to store instructions for executing various functions such as I/O control, logic operations, precise timing, accurate counting, three-mode (PID) control, communication protocols, arithmetic calculations, and data and file processing.

PLCs have evolved into sophisticated controllers capable of managing complex processes. Originally designed to perform the logic functions previously carried out by electrical hardware like relays, switches, and mechanical timers/counters. They find substantial application in SCADA systems and Distributed Control Systems and are often employed as the primary controller in smaller system configurations. PLCs play an extensive role in virtually all industrial processes, offering reliable and efficient control solutions.

In the realm of programmable logic controllers, below range of offerings feature renowned global brands including Emerson, and IDEC. Introducing VersaMax Modular I/O and Control - the epitome of versatility by Emerson. This exceptional control solution is compact, cost-effective, and adaptable, serving as a compact PLC, distributed I/O, or distributed control system. With its modular and scalable design, user-friendly features, and seamless integration with open systems,

VersaMax proves to be a time and cost-saving solution for machine builders and end-users alike.

The IDEC MicroSmart FC6A series is available in two types, Plus and All-in-One. The Plus type features a dual RJ45 Ethernet port and embedded web server functions, and the All-in-One type features an embedded serial port and RJ45 Ethernet port.

Discover the exceptional IDEC FTIA SmartAXIS controllers including the special FTIA with in-built touch screen HMI, meticulously crafted to offer unique features and advanced functions, perfect for applications with limited I/O needs. Benefit from its embedded Ethernet port, Modbus TCP and RTU support, USB for data logging and program updates, and Class I Div. 2 hazardous locations compliance.

Why Choose IPD for your industrial automation and PLC needs?

- 1. Comprehensive Product Range:** The collection features a comprehensive range of Industrial Automation and Programmable Controllers, to suit various applications and environments.
- 2. Quality Assurance:** At IPD, quality is paramount. We ensure that all the range of PLCs undergo rigorous testing and adhere to international standards. This commitment to quality guarantees optimal performance, reliability, and longevity.
- 3. Expertise and Support:** With our years of experience and in-depth knowledge, we understand the complexities of industrial automation. Our team of experts is ready to assist you in selecting the right PLC automation solution tailored to your specific requirements.

Order your programmable logic controllers from IPD and experience the transformative power of industrial automation. Browse below range of PLCs and take the first step towards streamlining your processes, increasing efficiency, and achieving unprecedented control. Contact us via 1300 556 601 to discuss your automation

requirements and discover how we can be your trusted automation partner.

Technical Attributes

Boolean Execution Speed	0.8 ms/K (typical)
Communication	Embedded Communications: RS-232, RS-485, Ethernet
Data Rate (Mbps)	10 (half- or full-duplex)
EGD Exchange Limits	100 data ranges per exchange, 1400 bytes of data per exchange
Floating Point	Yes
Memory	64K bytes Maximum configurable memory, Program Storage: System flash, battery-backed RAM
No. of Ethernet Global Data (EGD) Exchanges	32
No. of SRTP Server Connections	8
Power Supply Type	5V uses 220mA, 3.3V uses 570mA
Realtime Clock	Accuracy (for timer functions) 100ppm (0.01%) or +/- 9sec/day, Time of Day Clock Accuracy: 100ppm at full temperature range

Dimensions

Dimensions (mm)	126 W x 128 H x 69.1 D
-----------------	------------------------

Resources

Product catalogue (Flipbook)	Download from here
------------------------------	------------------------------------