

Product No: DPICDHFEXD5M

DEHN DPICDHFEXD5M SPD T2 FOR SIGNALS AND MESUREMENT EQUIP.

FEATURES

- - Ex (d) version for a variety of applications
- - Energy-coordinated low-capacitance protective circuit
- - Flameproof
- - Standards IEC/EN 61643-21
- - ATEX, IECEx, CCC, CSA Approved



General Information

Article No.	929971
Brand	DEHN
Product Type	Signal Line Protector

Technical Attributes

Maximum Continuous Operating Voltage MCOV AC (V)	4.2
Maximum Continuous Operating Voltage MCOV DC (V)	6
Nominal Discharge Current (8/20 μ s) - I _n (kA)	10 (Per Line)
Nominal Voltage (V)	5
Thread Size	M20 x 1.5 Male
Total Discharge Current (8/20 μ s) - I _{total} (kA)	20
Voltage Protection Level - Up (kV)	≤ 0.055 (Line-Line)/ ≤ 1 (Line-PG)

Physical Attributes

Enclosure Material	Stainless steel (V4A)
--------------------	-----------------------

Protection & Standards

Degree of Protection	IP67
----------------------	------

Resources

Product catalogue (Flipbook)	Download from here
------------------------------	------------------------------------