


## **Product No: GX-318MLK-A-N**

## PANASONIC INDUCTIVE PROXIMITY SENSOR GX-318MLK-A-N

## **FEATURES**

- Quick response to ON/OFF judgement
- Suited for high-speed applications
- Reduces equipment cycle time
- High brightness Indicator
- Long sensing range



General Information	
Brand	PANASONIC
Product Type	Proximity Sensor

Technical Attributes	
Contacts	Normally Open
Current Consumption (mA)	<16
Insulation Resistance (M $\Omega$ )	50
Operating Distance (mm)	8
Outputs	NPN
Rated Supply Voltage DC (V)	10 to 30
Resistance to Shock (m/s²)	1000
Sensing Range (mm)	0 to 6.4
Sensor Type	Non-shielded
Thread Size	M18
Withstand Voltage AC (V)	1000 for 1 min

Physical Attributes	
Cable Type	Standard
Enclosure Material	Nickel-plated brass
Relative Humidity	35 to 95%
Shape	Threaded type
Storage Temperature (°C)	-40 to +85



Dimensions	
Cable Length (m)	2

Protection & Standards	
Degree of Protection	IP67 (IEC), IP69K, IP67G
Pollution Degree	3

Resources	
Product catalogue (Flipbook)	<u>Download from here</u>



## **DIMENSIONS**

