

# JX2.5/2



**connectwell**  
THE RIGHT CONNECTION

## Alternate Shorting Link

Alternate type links are available for cross connection in Spring Clamp Terminal Blocks. The links need to be inserted into the rectangular slots provided in the current bar of the Terminal Block.

### PRODUCT SPECIFICATION

Rated Current	24 A
---------------	------

### ORDERING INFORMATION

CAT. NO.	DESCRIPTION	STD. PACK
JX2.5/2	Shorting Link for 2.5 sq mm series	100
JX2.5/3	Shorting Link for 2.5 sq mm series	50
JX2.5/4	Shorting Link for 2.5 sq mm series	50
JX2.5/5	Shorting Link for 2.5 sq mm series	50
JX2.5/6	Shorting Link for 2.5 sq mm series	50
JX2.5/7	Shorting Link for 2.5 sq mm series	10
JX2.5/8	Shorting Link for 2.5 sq mm series	10
JX2.5/10	Shorting Link for 2.5 sq mm series	10
JX2.5/20	Shorting Link for 2.5 sq.mm series	10

### SUITABLE FOR

CYK2.5/S	2.5 sq.mm Knife Type Disconnect and Test Terminal Blocks with socket headed screw
CYK2.5NFT	2.5 sq.mm Feed Through Terminal Block
CPDL2.5(E)DD4	2.5 sq.mm Terminal Blocks in push-in connection with diode circuit - DD4 configuration
CPDL2.5(E)LD1	2.5 sq.mm Double Level Terminal Blocks with LED indication for LD1 Configuration
CPDL2.5(E)TS1	2.5 sq.mm Double Level Terminal Blocks with Temperature Sensor indication - TS1 Configuration
CPDL2.5(I.S)	2.5 sq.mm Multiple Connection Internally Shorted Terminal Blocks with 4 connection points.
CPDLKFT2.5	2.5 sq.mm knife disconnecting + feedthrough Push in double level compact Terminal block.
CPG2.5/4	2.5 sq.mm Ground/Earth Push in Terminal Blocks
CPTL2.5	2.5 sq.mm Triple Level Push in Terminal Blocks
ODLG2.5	2.5 sq.mm offset Double Level Earthing Terminal Blocks.
ODLG2.5A	2.5 sq.mm offset stackable Double Level Earthing Terminal Blocks.
CX2.5/3	2.5 sq.mm Spring Clamp Feed Through compact Terminal Blocks
CX2.5/4	2.5 sq.mm Spring Clamp Feed Through compact Terminal Blocks
CX2.5/4/2B	2.5 sq.mm pluggable 4 wire feed through Spring Clamp Terminal Block
CX2.5/4/4B	2.5 sq.mm pluggable 4 wire feed through Spring Clamp Terminal Block
CXCC2.5/4	2.5 sq.mm Component carrier spring clamp terminal block
CXDL2.5(E)DD1	2.5 sq.mm Terminal Blocks with diode circuit - DD1 configuration
CXDL2.5(E)DD2	2.5 sq.mm Terminal Blocks with diode circuit - DD2 configuration

JX2.5/2



**connectwell**  
THE RIGHT CONNECTION

SUITABLE FOR	
CXDL2.5(E)DD3	2.5 sq.mm Terminal Blocks with diode circuit - DD3 configuration
CXDL2.5(E)DD3	2.5 sq.mm Terminal Blocks with diode circuit - DD3 configuration
CXDL2.5(E)LD2	2.5 sq.mm Double Level Terminal Blocks with LED indication -LD2 Configuration
CXDL2.5(E)TS1	2.5 sq.mm Double Level Terminal Blocks with Temperature Sensor indication - TS1 Configuration
CXDL2.5/2B	2.5 sq.mm pluggable feed through Spring Clamp Terminal Block
CXDL2.5/2B/I.S	pluggable feed through Spring Clamp Terminal Block Internally shorted
CXDL2.5/3	2.5 sq.mm Double Level Multiconnection Spring Clamp Terminal Blocks
CXDL2.5/3(E)TS1	2.5 sq.mm Double Level Terminal Blocks with Temperature Sensor indication - TS1 Configuration
CXDL2.5/3/2B	2.5 sq.mm double level multiple connection pluggable spring clamp terminal block.
CXDLG2.5(I.S)	2.5 sq.mm Multiple Connection Earthing Terminal Blocks with 4 connection points.
CXDLG2.5/3	2.5 sq.mm Double Level Multiconnection Spring Clamp Ground Terminal Blocks
CXG2.5	2.5 sq.mm Ground/Earth Spring Clamp Terminal Blocks
CXG2.5/4	2.5 sq.mm Ground/Earth Spring Clamp Terminal Blocks
CXK2.5	2.5 sq.mm Spring Clamp knife disconnecting compact Terminal Blocks
CXK2.5/4	2.5 sq.mm Spring Clamp knife disconnecting compact Terminal Blocks
CY2.5	2.5 sq.mm, 5 mm thick Feed Through Terminal Block
CY2.5	2.5 sq.mm, 5 mm thick Feed Through Terminal Block
CYG2.5	2.5 sq.mm Ground / Earth Terminal Blocks
CYK2.5	2.5 sq.mm Knife Type Disconnect and Test Terminal Blocks
CP2.5	2.5 sq.mm Push in Feed Through compact Terminal Blocks
CP3L2.5N	2.5 sq.mm Triple Level Push in Terminal Blocks
CPDL2.5(E)D1	2.5 sq.mm Terminal Blocks with diode circuit - D1 configuration
CPDL2.5(E)D2	2.5 sq.mm Terminal Blocks with diode circuit - D2 configuration
CPDL2.5(E)DD5	2.5 sq.mm Terminal Blocks in push-in connection with diode circuit - DD5 configuration
CPDLG2.5	2.5 sq.mm Double Level Earthing Terminal Blocks.
CPDLKFT2.5(I.S)	2.5 sq.mm knife disconnecting Push in double level compact Terminal block.
CPG2.5	2.5 sq.mm Ground/Earth Push in Terminal Blocks
CPG2.5/3	2.5 sq.mm Ground/Earth Push in Terminal Blocks
CPTLG2.5	2.5 sq.mm Three Level Earthing Terminal Blocks.
ODL2.5A	2.5 sq.mm 2 Level Offset stackable type Terminal Block in Grey colour

JX2.5/2



**connectwell**  
THE RIGHT CONNECTION

SUITABLE FOR	
CX2.5/3/1B	2.5 sq.mm pluggable feed through Spring Clamp Terminal Block
CX2.5/4(E)D1	CX2.5/4(E)D1 : 2.5 sq.mm Terminal Blocks with diode circuit - D1 configuration
CX2.5/4(E)R1	CX2.5/4(E)R1 : 2.5 sq.mm Terminal Blocks with resistor circuit - R1 configuration
CXDL2.5	2.5 sq.mm Double Level Spring Clamp Terminal Blocks
CXDL2.5(E)D1	2.5 sq.mm Terminal Blocks with diode circuit - D1 configuration
CXDL2.5(E)DD1	2.5 sq.mm Terminal Blocks with diode circuit - DD1 configuration
CXDL2.5(E)DD4	2.5 sq.mm Terminal Blocks with diode circuit - DD4 configuration
CXDL2.5(E)DD4	2.5 sq.mm Terminal Blocks with diode circuit - DD4 configuration
CXDL2.5(E)LD1	2.5 sq.mm Double Level Terminal Blocks with LED indication -LD1 Configuration
CXDL2.5/3(E)D1	2.5 sq.mm Terminal Blocks with diode circuit - D1 configuration
CXDL2.5/3(E)D3	2.5 sq.mm Terminal Blocks with diode circuit - D3 configuration
CXDL2.5/3/2B(I.S)	2.5 sq.mm double level multiple connection pluggable spring clamp terminal block internally shorted.
CXDLG2.5/2B/I.S	pluggable feed through Spring Clamp Ground Terminal Block Internally shorted in Green Yello colour
CXG2.5/3	2.5 sq.mm Ground/Earth Spring Clamp Terminal Blocks
CXG2.5/3/1B	2.5 sq.mm pluggable feed through Spring Clamp Ground Terminal Block
CXG2.5/4/2B	2.5 sq.mm Ground/Earth Spring Clamp Terminal Blocks
CXMG2.5	2.5 sq.mm feed Through Ground/Earth Spring Clamp Terminal Blocks
CP2.5/3	2.5 sq.mm Push In Feed Through compact Terminal Blocks
CPDL2.5(E)DD1	2.5 sq.mm Terminal Blocks in Pushin connection with diode circuit - DD1 configuration
CPDLG2.5(I.S)	2.5 sq.mm Multiple Connection Earthing Terminal Blocks with 4 connection points.
CPDLK2.5(I.S)	2.5 sq.mm knife disconnecting Push in double level internally shorted compact Terminal block.
CPTL2.5(I.S)	2.5 sq.mm Three Level, Internally Shorted, Push in Terminal Block
ODL2.5	2.5 sq.mm Offset Double Level Terminal Blocks.
ODL2.5A(I.S)	2.5 sq.mm 2 Level Offset internally shorted stackable type Terminal Block in Grey colour
ODLG2.5A(I.S)	2.5 sq.mm offset stackable Double Level Earthing Terminal Blocks.
CX2.5/4(E)D2	CX2.5/4(E)D2 : 2.5 sq.mm Terminal Blocks with diode circuit - D2 configuration
CX2.5/4(E)R4	CX2.5/4(E)R4 : 2.5 sq.mm Terminal Blocks with resistor circuit - R4 configuration
CXDL2.5(E)D2	2.5 sq.mm Terminal Blocks with diode circuit - D2 configuration
CXDL2.5(E)DD2	2.5 sq.mm Terminal Blocks with diode circuit - DD2 configuration

JX2.5/2



**connectwell**  
THE RIGHT CONNECTION

SUITABLE FOR	
CXDL2.5(E)DD4	2.5 sq.mm Terminal Blocks with diode circuit - DD4 configuration
CXDL2.5(I.S)	2.5 sq.mm Multiple Connection Internally shorted Terminal Blocks with 4 connection points.
CXDL2.5/3(E)DD6	2.5 sq.mm Terminal Blocks with diode circuit - DD6 configuration
CXDL2.5/3(E)LD1	2.5 sq.mm Double Level Terminal Blocks with LED indication -LD1 Configuration
CXDL2.5/3(I.S)	2.5 sq.mm Double Level Multiconnection Spring Clamp Internally Shorted Terminal Blocks
CXDLG2.5/2B	2.5 sq.mm Double Level Ground/Earth Spring Clamp Terminal Blocks
CXM2.5	2.5 sq. mm Micro spring clamp Terminal Blocks.
CXS2.5	2.5 sq.mm Spring Clamp Feed Through Side Entry Terminal Blocks
CYDL2.5	2.5 sq.mm Double Level Terminal Blocks.
CYK2.5N	2.5 sq.mm Knife Type Disconnect and Test Terminal Blocks
CP2.5/4	2.5 sq.mm Push in Feed Through compact Terminal Blocks
CPDL2.5	2.5 sq.mm Double Level Push in Terminal Blocks
CPDL2.5(E)D3	2.5 sq.mm Terminal Blocks with in Push In Connection with diode circuit - D3 configuration
CPDL2.5(E)DD2	2.5 sq.mm Terminal Blocks in pushin connection with diode circuit - DD2 configuration
CPDL2.5(E)DD3	2.5 sq.mm Terminal Blocks in Push in with diode circuit - DD3 configuration
CPDL2.5(E)DD6	2.5 sq.mm Terminal Blocks in push-in connection with diode circuit - DD6 configuration
CPDLK2.5	2.5 sq.mm knife disconnecting Push in double level compact Terminal block.
CPK2.5	CPK2.5 : 2.5 sq.mm Push in Knife Disconnecting Compact Terminal Blocks
CPTLG2.5(I.S)	2.5 sq.mm Three Level Internally Shorted Earthing Terminal Blocks
ODL2.5(I.S)	2.5 sq.mm offset double Level Internally Shorted Terminal Blocks.
ODLG2.5(I.S)	2.5 sq.mm offset internally Double Level Earthing Terminal Blocks.
CX2.5	2.5 sq.mm Spring Clamp Feed Through compact Terminal Blocks
CX2.5/1B	2.5 sq.mm pluggable feed through Spring Clamp Terminal Block
CX2.5/2B	2.5 sq.mm pluggable feed through Spring Clamp Terminal Block
CX2.5/4(E)R3	CX2.5/4(E)R3 : 2.5 sq.mm Terminal Blocks with resistor circuit - R3 configuration
CX2.5/4P	CX2.5/4P, feed through spring clamp compact Terminal block.
CXDL2.5(E)D2	2.5 sq.mm Terminal Blocks with diode circuit - D2 configuration
CXDL2.5(E)D3	2.5 sq.mm Terminal Blocks with diode circuit - D3 configuration
CXDLG2.5	2.5 sq.mm Double Level Earthing Terminal Blocks.

JX2.5/2



**SUITABLE FOR**

CXDLG2.5/3(I.S)	2.5 sq.mm Double Level Multiconnection Spring Clamp Ground Terminal Blocks
CXG2.5/1B	2.5 sq.mm Ground/Earth Spring Clamp Terminal Blocks
CXG2.5/2B	2.5 sq.mm Ground/Earth Spring Clamp Terminal Blocks
CXG2.5/4/2B	2.5 sq.mm Ground/Earth 4 wire Spring Clamp Terminal Blocks
CXG2.5/4/4B	2.5 sq.mm Ground/Earth 4 wire Spring Clamp Terminal Blocks
CXSG2.5	2.5 sq.mm feed Through Ground/Earth Spring Clamp Terminal Blocks