


## Product No: GX-312MLK-A-P-Z

### PANASONIC INDUCTIVE PROXIMITY SENSOR GX-312MLK-A-P-Z

#### FEATURES

- Quick response to ON/OFF judgement
- Suited for high-speed applications
- Reduces equipment cycle time
- High brightness Indicator
- Long sensing range



#### General Information

Brand	PANASONIC
Product Type	Proximity Sensor

#### Technical Attributes

Contacts	Normally Open
Current Consumption (mA)	<16
Insulation Resistance (MΩ)	50
Operating Distance (mm)	4
Outputs	PNP
Rated Supply Voltage DC (V)	10 to 30
Resistance to Shock (m/s <sup>2</sup> )	1000
Sensing Range (mm)	0 to 3.2
Sensor Type	Non-shielded
Thread Size	M12
Withstand Voltage AC (V)	1000 for 1 min

#### Physical Attributes

Cable Type	Connector
Enclosure Material	Nickel-plated brass
Relative Humidity	35 to 95%
Shape	Threaded type
Storage Temperature (°C)	-40 to +85

### Protection & Standards

Degree of Protection	IP67 (IEC), IP69K, IP67G
----------------------	--------------------------

Pollution Degree	3
------------------	---

### Resources

Product catalogue (Flipbook)	<a href="#">Download from here</a>
------------------------------	------------------------------------

## DIMENSIONS

