

IDEC PLUG-IN TIMER 8PIN 24VAC/DC DPDT 0.1S-10H GE1A-C10HAD24

GE1A-C10HAD24

FEATURES

- 8-pin, octal base
- Repeat error $\pm 0.2\%$ maximum
- Large, clear knob for easy setting
- Instant monitoring of operational status by LED indicators



GENERAL INFORMATION

| | |
|--------------|---------------|
| Brand | IDEC |
| Product Type | Plug-In Timer |
| Series | GE1A |

TECHNICAL ATTRIBUTES

| | |
|----------------------------------|---------------------|
| Contacts | Delayed DPDT |
| Input Voltage AC (V) | 24 |
| Input Voltage DC (V) | 24 |
| Insulation Resistance (Mega Ohm) | 100 |
| Maximum Reset Time (s) | 0.1 |
| No. of Pins | 8 |
| Operating Voltage AC/DC (V) | 24 |
| Output Voltage AC (V) | 240 (3A) / 120 (5A) |
| Output Voltage DC (V) | 24 |
| Power Consumption (W) | 0.8 |
| Timing Range | 0.1s - 10hrs |

PHYSICAL ATTRIBUTES

| | |
|------------------------------------|------------|
| Operational Temperature Range (°C) | -10 to +55 |
|------------------------------------|------------|

RESOURCES

| | |
|------------------------------|------------------------------------|
| Product catalogue (Flipbook) | Download from here |
|------------------------------|------------------------------------|