


Product No: 3GBP402530-HDKM625

ABB IE3 CAST IRON MINING MOTOR 4P 710KW 400VD FOOT/BIG FLANGE B35 IP66 ORANGE 3GBP402530-HDKM625

FEATURES

- IE3 premium efficiency class according to IEC 60034-30-1; 2014
- Permanent grease lubrication
- 6 terminals for connection with cable lugs (not included)
- Copper stator winding
- Pressure die-cast aluminium rotor winding
- Closed key way, half-key balancing as standard
- Components cast from EN-GJL-200 and EN-GJL-250 grade material for extra strength
- Closable grease ejection port with handle located safely on side of motor



General Information

Brand	ABB
Product Type	Mining Motors

Technical Attributes

No. of Poles	4
Rated Frequency (Hz)	50
Rated Output Power (kW)	710
Rated Voltage (V)	415 Δ /690Y
Speed (RPM)	1500

Physical Attributes

Colour	Orange
Mounting Type	Foot/Big Flange Mount B35

Dimensions

Dimensions (mm)	110W x 157H x 214D
Weight (kg)	3540

Protection & Standards

Degree of Protection

IP66


Resources

Product catalogue (Flipbook)

[Download from here](#)



TECHNICAL DRAWING



Additional information:

Dimension Print	Motor type: M3BP400 (G/M) L_4-12; B35, V15, V35	Document No: 3GZFS00040-5 C
	M3GRHP 400L_4-12; B35, V35	

Description:
STANDARD SQUIRREL CAGE MOTOR WITH TERMINAL BOX 750.

Unit: Motors and Generators Date: 23-Jun-2020	Issued by: Kujanpää, Santeri Approved by: Härmänmaa, Arttu	Replaces: Replaced by:
--	---	---------------------------

ABB	Customer Reference:	
------------	---------------------	--