

FDV DOCUMENTATION

6280	Fiberfilt 10cm x 25m 80g
6282	Fiberfilt 100cm x 10m 80g
6288	Fiberfilt 100cm x 100m 80g

PRODUCT DESCRIPTION

Polymer Name: - Polypropylene Spun Bonded Non Woven Fabric

TECHNICAL DATA SHEET

Thickness: 0.40±0.03 mm

Different GSMs (grams per square meter): 80±3gm/square meter.

Color: White

Tensile Strength: 125 N

Max. Elongation: 50%

Temperature Resistance: -20°C to 70°C

Solubility in water: Not Soluble in water

SAFETY DATA SHEET

HAZARDOUS INGREDIENTS:

This product does not meet the definition given in 29 CFR Part 1910.1200 (OSHA). Information is furnished as a customer service.

OCCUPATIONAL CONTROL PROCEDURES:

Eye Protection: As required by site-specific conditions. Not generally needed.

Skin Protection: None required.

Respiratory Protection: Not generally required unless needed to prevent respiratory Irritation.

Ventilation: Use adequate ventilation to control exposure below recommended levels.

EFFECTS OF OVEREXPOSURE:

Eyes: Dust may cause mechanical irritation.

Skin: No known effect.

Inhalation: Dust may produce mechanical irritation to the mucous membranes of the nose, throat and upper respiratory tract.

Chronic: No anticipated chronic effects.

Existing health conditions affected by exposure: No known effects.

EMERGENCY AND FIRST AID PROCEDURES:

Eyes: Flush with water.

Skin: Rinse with water.

Inhalation: Remove from exposure.

Ingestion: N/A.

FIRE PROTECTION:

Flash Point (Method): Greater than 400 degrees (COC, ASTM D -92)

Fire Extinguishing Media: Dry chemical, foam, carbon dioxide.

Special Fire Fighting Procedures: For large fires in confined area use NIOSH/MSHA

Approved self-contained breathing apparatus. Use water fog or spray to exposed

Equipment and containers.

REACTIVITY DATA:

Stability: Stable

Incompatibility: None known

Hazardous Decomposition Products: Will not occur.

Hazardous Polymerization: Will not occur.

PHYSICAL DATA:

Physical State: Solid

Odor: Negligible

Viscosity: N/A

Solubility in Water: Negligible

Boiling Point: N/A

SPILL, LEAK & DISPOSAL INFORMATION:

Spill or Leak Procedures: Solid material, normal clean-up procedure.

Waste Disposal: Insure conformity with all applicable disposal regulations. Product does not meet the definition of hazardous waste.

STORAGE:

No special requirements for storage

MANUFACTURER/EXPORTER:

Sakshi International

Backside G.N.E. College,
Sidhwan Canal Road, Isher Nagar,
Ludhiana-141006
Punjab INDIA

Phone: + 91-161-2495121, 2497137, 2844136, 2845136

Fax: + 91-161-2502121, 2844236

www.sakshiimpex.com

info@sakshigroup.org