Self-declaration that the named construction product complies with the minimum requirements that listed.

**MANUFACTURER:** 

**PRODUCT TRADE NAME:** 

**PRODUCT ID:** 

This form must be filled out and signed by a legally responsible person for the construction product manufacturer, if the product is within the limit values of the current standard.

The declaration applies to the following products .

Wood-based products (including wood flooring)

Flooring materials (including floor leveling compounds)

Ceiling, wall, acoustic and thermal insulation materials

Interior adhesives and sealants (including flooring adhesives)

**Limit values** (see the extract from the manual on page 3)

## **Testing Requirements**

Are pointed per essential charateristic on page 3 and are repeated further down on this document (see the referred manual).

Documentation which can serve as basis for the self-declaration could be emission tests and/or test reports which prove that the product fulfills the standards, and the emission limits the manual requires. If in doubt, the manufacturer must consult with their own internal and external experts. An auditor may ask to see the basis for the self-declaration. Providing incorrect and deceptive information can have legal consequences. The filled-out form should be signed by a legally responsible person for the manufacturer.

It is confirmed that emissions from the construction product do not surpass the limit given on page 3 in the manual.

Legally responsible:	Position:
Manufacturer:	Business registration number :
Date:	Signature: The same

Essential charateristics	Performance	Harmonised standard specification
Thickness,mm	24	EN 13501-1:2018 EN 15102:2007+A1:2011
Reaction to fire	Class D-s2, d0	
Breaking strength	NPD	
list of the characteristics	Declared values	
Release of formaldehyde	E1	
Release of vinyl chloride monomer(VCM)	Not Detected	
Sound absorption	NRC=0.8	

## NPD-No performance determined

- \* The emission limits in this table apply to the finished product, i.e. after any coating or other treatment process have been applied.
- 1. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to : 7861064/7861065 MDF&POLYESTER FIEBR
- 2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Wall panel indoor. To be nailed or glued
- 3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to: SHAN DONG INTCO RECYCLING RESOURCES CO., LTD. INTCO.N0.18 QINGTIAN ROAD, QILU CHEMICAL INDUSTRY PARK, LINZI, ZIBO, SHANDONG PROVINCE, CHINA
- 4. In case of the declaration of performance concerning a construction product covered by a harmonised standard: EN 15102:2007 +A1:2011
- 5. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in Table