

The all-rounding bit within convincing quality



ADVANTAGES

- The bits „Made in Germany“ manufactured from special steel with high hardness degree are suitable for both hand driven and machine guided applications.
- The perfect fitting inside screws ensures working with low-wear of the product and consequently long lifetime and clean working results.
- The profile guarantees an ideal connection for an optimal power and torque transmission that prevents damages of the surface or the screw-heads.
- Also available as clearly arranged bit-set with 11 or 31 pcs including bit-holder.

APPLICATIONS

Number of internal drives in various profile sizes, such as:

- PH, PZ cross-slot
- TX star recess
- Suitable for 1/4" drives

TECHNICAL DATA



FPB T PROFI Bit W



FPB PZ PROFI Bit W

| Item | Art.-No. | Drive | Length l [mm] | Contents | Sales unit [pcs] |
|-----------------------------|----------|------------------------------|---------------------|----------|---------------------|
| FPB T 10 PROFI Bit W 2 | 533078 | TX10 | 25 | 2 Bit | 10 |
| FPB T 15 PROFI Bit W 2 | 533079 | TX15 | 25 | 2 Bit | 10 |
| FPB T 20 PROFI Bit W 2 | 533080 | TX20 | 25 | 2 Bit | 10 |
| FPB T 25 PROFI Bit W 2 | 533081 | TX25 | 25 | 2 Bit | 10 |
| FPB T 27 PROFI Bit W 2 | 533082 | TX27 | 25 | 2 Bit | 10 |
| FPB T 30 PROFI Bit W 2 | 533083 | TX30 | 25 | 2 Bit | 10 |
| FPB T 40 PROFI Bit W 2 | 533084 | TX40 | 25 | 2 Bit | 10 |
| FPB T 50 PROFI Bit W 1 | 533085 | TX50 | 25 | 1 Bit | 10 |
| FPB PH 1 PROFI Bit W 2 | 533086 | PH1 | 25 | 2 Bit | 10 |
| FPB PH 2 PROFI Bit W 2 | 533087 | PH 2 | 25 | 2 Bit | 10 |
| FPB PH 2 DRYWALL W 1 | 533090 | PH2 + dry walling attachment | 25 | 1 Bit | 10 |
| FPB PH 3 PROFI Bit W 2 | 533091 | PH3 | 25 | 2 Bit | 10 |
| FPB PZ 1 PROFI Bit W 2 | 533092 | PZ1 | 25 | 2 Bit | 10 |
| FPB PZ 2 PROFI Bit W 2 | 533095 | PZ2 | 25 | 2 Bit | 10 |
| FPB PZ 3 PROFI Bit W 2 | 533097 | PZ3 | 25 | 2 Bit | 10 |
| FPB PZ 4 PROFI Bit W 1 | 533099 | PZ 4 | 32 | 1 Bit | 10 |
| FPB PH 2 50MM PROFI Bit W 1 | 533105 | PH 2 | 50 | 1 Bit | 10 |
| FPB PZ 2 50MM PROFI Bit W 1 | 533109 | PZ2 | 50 | 1 Bit | 10 |
| FPB T 10 PROFI Bit W 10 | 533112 | TX10 | 25 | 10 Bit | 10 |
| FPB T 15 PROFI Bit W 10 | 533113 | TX15 | 25 | 10 Bit | 10 |
| FPB T 20 PROFI Bit W 10 | 533114 | TX20 | 25 | 10 Bit | 10 |
| FPB T 25 PROFI Bit W 10 | 533115 | TX25 | 25 | 10 Bit | 10 |
| FPB T 30 PROFI Bit W 10 | 533116 | TX30 | 25 | 10 Bit | 10 |
| FPB T 40 PROFI Bit W 10 | 533117 | TX40 | 25 | 10 Bit | 10 |
| FPB PH 1 PROFI Bit W 10 | 533118 | PH1 | 25 | 10 Bit | 10 |
| FPB PH 2 PROFI Bit W 10 | 533119 | PH 2 | 25 | 10 Bit | 10 |
| FPB PH 3 PROFI Bit W 10 | 533120 | PH3 | 25 | 10 Bit | 10 |
| FPB PZ 1 PROFI Bit W 10 | 533121 | PZ1 | 25 | 10 Bit | 10 |
| FPB PZ 2 PROFI Bit W 10 | 533122 | PZ2 | 25 | 10 Bit | 10 |
| FPB PZ 3 PROFI Bit W 10 | 533123 | PZ3 | 25 | 10 Bit | 10 |

The non-slip bit



ADVANTAGES

- The coating with diamond-saphire-particles ensures the best possible power-transfer and prevents the bit tip from slipping out of the screw head.
- The diamond-coated bit "Made in Gemany" with a high hardness grade guarantees the greatest service life and corrosion resistance.
- The torsion zones created by the tapered bit cross-section offers relief in the case of extreme loads. For a more effortless installation and maximum operating efficiency.
- The high dimensional accuracy allows for an ideal fit. For clean results and a long life span.

APPLICATIONS

Number of internal drives in various profile sizes, such as:

- PH, PZ cross-slot
- TX star recess
- Suitable for 1/4" drives

TECHNICAL DATA



FDB T DIAMOND Bit W



FDB PZ DIAMOND Bit W

| Item | Art.-No. | Drive | Length [mm] | Contents | Sales unit [pcs] |
|---------------------------|----------|-------|---------------------|----------|---------------------|
| FDB T 10 DIAMANT Bit W 2 | 533124 | TX10 | 25 | 2 Bit | 10 |
| FDB T 15 DIAMANT Bit W 2 | 533125 | TX15 | 25 | 2 Bit | 10 |
| FDB T 20 DIAMANT Bit W 2 | 533126 | TX20 | 25 | 2 Bit | 10 |
| FDB T 25 DIAMANT Bit W 2 | 533127 | TX25 | 25 | 2 Bit | 10 |
| FDB T 30 DIAMANT Bit W 2 | 533128 | TX30 | 25 | 2 Bit | 10 |
| FDB T 40 DIAMANT Bit W 2 | 533129 | TX40 | 25 | 2 Bit | 10 |
| FDB PH 1 DIAMANT Bit W 2 | 533130 | PH1 | 25 | 2 Bit | 10 |
| FDB PH 2 DIAMANT Bit W 2 | 533131 | PH 2 | 25 | 2 Bit | 10 |
| FDB PH 3 DIAMANT Bit W 2 | 533132 | PH3 | 25 | 2 Bit | 10 |
| FDB PZ 1 DIAMANT Bit W 2 | 533133 | PZ1 | 25 | 2 Bit | 10 |
| FDB PZ 2 DIAMANT Bit W 2 | 533134 | PZ2 | 25 | 2 Bit | 10 |
| FDB PZ 3 DIAMANT Bit W 2 | 533135 | PZ3 | 25 | 2 Bit | 10 |
| FDB T 10 DIAMANT Bit W 10 | 533136 | TX10 | 25 | 10 Bit | 10 |
| FDB T 15 DIAMANT Bit W 10 | 533137 | TX15 | 25 | 10 Bit | 10 |
| FDB T 20 DIAMANT Bit W 10 | 533138 | TX20 | 25 | 10 Bit | 10 |
| FDB T 25 DIAMANT Bit W 10 | 533139 | TX25 | 25 | 10 Bit | 10 |
| FDB T 30 DIAMANT Bit W 10 | 533140 | TX30 | 25 | 10 Bit | 10 |
| FDB T 40 DIAMANT Bit W 10 | 533141 | TX40 | 25 | 10 Bit | 10 |
| FDB PH 1 DIAMANT Bit W 10 | 533142 | PH1 | 25 | 10 Bit | 10 |
| FDB PH 2 DIAMANT Bit W 10 | 533143 | PH 2 | 25 | 10 Bit | 10 |
| FDB PH 3 DIAMANT Bit W 10 | 533144 | PH3 | 25 | 10 Bit | 10 |
| FDB PZ 1 DIAMANT Bit W 10 | 533145 | PZ1 | 25 | 10 Bit | 10 |
| FDB PZ 2 DIAMANT Bit W 10 | 533146 | PZ2 | 25 | 10 Bit | 10 |
| FDB PZ 3 DIAMANT Bit W 10 | 533147 | PZ3 | 25 | 10 Bit | 10 |

The ultimate torsion-bit



ADVANTAGES

- The ultimate solution for extreme installation torques. Ideal for usage in high-performance power-and impact-tools.
- Optimal geometry of the profile guarantees unique performance and durability for sophisticated applications and users.
- The elastic torsion zone releases at extreme loads to ensure a gentle working and maximum operating efficiency.
- The high dimensional accuracy allows for an ideal fit. For clean results and a long life span.
- Also available as clearly arranged bit-set with 8pcs including bit-holder.

APPLICATIONS

Number of internal drives in various profile sizes, such as:

- TX star recess
- Suitable for 1/4" drives

TECHNICAL DATA



FMB T Maxx Bit W 5

| Item | Art.-No. | Drive | Length [mm] | Contents | Sales unit [pcs] |
|-----------------------------|---------------|-------|---------------------|----------|---------------------|
| FMB T10 Maxx Bit W 5 | 533154 | TX10 | 29 | 5 Bit | 10 |
| FMB T15 Maxx Bit W 5 | 533155 | TX15 | 29 | 5 Bit | 10 |
| FMB T20 Maxx Bit W 5 | 533156 | TX20 | 29 | 5 Bit | 10 |
| FMB T25 Maxx Bit W 5 | 533157 | TX25 | 29 | 5 Bit | 10 |
| FMB T30 Maxx Bit W 5 | 533158 | TX30 | 29 | 5 Bit | 10 |
| FMB T40 Maxx Bit W 5 | 533159 | TX40 | 29 | 5 Bit | 10 |

The bit holder for rapid bit exchange



ADVANTAGES

- The bit holder family for 1/4" bits with magnetic insert hold the bit securely in the drill chuck and offers a smooth installation procedure.
- Robust and slim bit holder for an easy bit exchange.
- Ideal for direct machine connection or enlargement of the bits to reach difficult areas.

APPLICATIONS

- The bit holders for use in cylinder drill chucks

TECHNICAL DATA



FBH Bit Holder W 1



FBH Quick Bit Magnet W 1



FBH Quick Bit Slim W 1

| Item | Art.-No. | Drive | Length | Contents | Sales unit |
|---------------------------------|---------------|-------|--------|----------|------------|
| | | | [mm] | [pcs] | [pcs] |
| FBH Bit Holder W 1 | 533148 | 1/4" | 50 | 1 | 1 |
| FBH Quick Bit Magnet W 1 | 533149 | 1/4" | 50 | 1 | 1 |
| FBH Quick Bit Slim W 1 | 533150 | 1/4" | 50 | 1 | 1 |

Useful bit sets for a multitude of applications



ADVANTAGES

- Safe and clearly arranged keeping of the content assuring a reliable usage day by day.
- The robust and durable construction fulfilling even hardest requirements.
- The bit sets combining compact dimensions with easy handling and containing the most common bits as well as the bit holder.

APPLICATIONS

- The ideal bit sets for quick and efficient working.
- For a high variation of applications

TECHNICAL DATA



FPB Bit Set Profi W 31



FPB Bit Set Profi W 11



FMB Bit Set Maxx W 8

| Item | Art.-No. | Contents | Sales unit [pcs] |
|---------------------------------|---------------|--|---------------------|
| FPB Bit Set W 31 Display | 533151 | 10x FPB Bit Set Profi W 31 | 1 |
| FPB Bit Set Profi W 31 | 533152 | 2x PZ1, 4x PZ2, 2x PZ 3, 2x PH1, 4x PH2, 2x PH 3, 1x TX8, 2x TX10, 1x TX15, 2x TX20, 2x TX25, 1x TX27, 1x TX30, 1x TX40, each 1x Slot 4,5; 5,5; 6,0, 1x Universal bit holder | 1 |
| FPB Bit Set Profi W 11 | 533153 | je 1x PZ1, PZ3, 2x PZ2, each 1x TX10, TX15, TX20, TX25, TX30, TX40, 1x Universal bit holder | 1 |
| FMB Bit Set Maxx W 8 | 533160 | each 1x TX10, TX15, TX20, TX25, TX30, TX40, 1x Universal bit holder | 1 |