





# SWEDISH TYPE APPROVAL 1607

# WITH DECISION ON PRODUCTION CONTROL

**Holder: Oras Ltd** 

P.O. Box 40, 26101 Rauma, Finland

Phone: +46 21 81 61 31

E- mail: info.sweden@oras.com Homepage: www.oras.com

# Oras Inspera Kitchen, single-lever kitchen faucets, side operated

### **Product description**

Kitchen faucets of brass (EN 817) with high swivel spout.

The faucets are installed with type-approved flexible connection hoses and the levers are equipped with in-built limitation options for water temperature and maximum flow-rate.

Single-lever faucets for hot and cold tap water intended to be used in sinks.

### Scope

Models:

3030F, 3035F, 3032F och 3031F

The products meet the requirements of Chapter 8, Section 4, of the "Planning and Building Act" (PBA) regarding the technical characteristics of construction works, protection regarding hygiene, health and the environment, depending on, that what is stated in this approval is followed. The products are approved according to the following section(s) of "Boverket's Building Regulations" (BBR):

Construction products with assessed properties

Tap water installations 6:62 (first sentence and paragraph 2 and general

recommendations)

Tap water flow 6:623 (first sentence)

Backflow 6:624

Design 6:625 (paragraph 1 and 4)

Marking must be affixed on the product or, if there are special reasons, on the packaging or the delivery note. Marking shall indicate the following information:

Oras Ltd

Product name, and relevant article number: Product name (article number)

Production site: Hansa Cesko s.r.o.,

Kralovice, Czech Republic Traceability to the production:

(e.g. yyyy-mm-dd or batchnumber) The registered trademark of Boverket No 241 217:

Certification Body: Kiwa Sverige AB Accreditation number: 1913

1607 Type Approval No:

Inspection Body: Kiwa Sverige AB

**Kiwa Sverige AB** 

Campus Gräsvik 1 SE-371 75 Karlskrona Sweden

Tel +46 (0)455-30 56 00 Fax +46 (0)455-104 36 se.bygg@kiwa.com www.kiwa.se



### **Control**

The manufacturers' continuous internal control is combined with surveillance inspections conducted by an accredited Inspection Body.

Inspection Body: **Kiwa Sverige AB**Control agreement: **1168/17** 

Factory production control shall be carried out in accordance with the instructions for control.

During inspection at the construction site, the building proprietor must verify the identity of the product by means of the marking. Furthermore, the building proprietor must ensure that the correct products are delivered and that they are installed in accordance with the manufacturer's instructions in the accompanying documents. It must also be verified that the product is accompanied by a manufacturer's declaration that certifies that production has been carried out in accordance with the documents that formed the basis for this type approval.

The validity of the Swedish Type Approval also implies that the factory production control is carried out according to agreement **1168/17** and that the holder annually fulfils the requirement in "Boverket's regulations and general recommendations for type approval", BFS 2013:6, § 5 (TYP 7), on continuing production control.

### **Associated documents**

Oras Inspera - Installation and maintenance guide 943282-08-18

### The assessment basis for the approval

Test report EUFI29-18000165-T2 (eurofins)

### **Comments**

The faucets have been tested according to EN 817:2018 and NKB 4. Acoustic group I for all models.

### Models:

3030F, kitchen faucet with high swivel spout

3031FT, kitchen faucet with swivel spout with pull-out spout and dishwasher valve, battery-operated 3 V

3032F, kitchen faucet with swivel spout with pull-out spout/spray

3035F, kitchen faucet with dishwasher valve, battery-operated 3 V

The Type approval is valid provided that the product shall neither be CE marked according to the Construction Product Regulation (EU) No 305/2011 (CPR), nor has it been suspended or withdrawn by Kiwa Sverige AB.

Date of decision: 2019-09-27 Registration number: 805/19

Valid until: 2024-09-26 Previous registration number: -

Magnus Jerlmark Bengt-Olov Andin