

VARIANTS

6155FZ | Washbasin faucet, 6 V, Bluetooth

6155FZ|WASHBASIN FAUCET, 6 V,BLUETCOTH

Oras Electra

EANCODE 6414150094118

ACTIVE MARKET AREAS

INT, FIN, NOR, SWE, DNK, POL, RUS, EST, LTU, LVA, UKR





Oras Electra

More than 30 years of experience in electronic faucets truly shows in Oras Electra, our most widely used and versatile touchless faucet family. Oras introduced the touchless faucets in the public premises already in the 1990s, and in the 21st century, the electronic faucets have rapidly become more common also in the household use. With touchless faucets, water consumption can be reduced by half, while user-friendliness and hygiene rise to a whole new level.

Features

Aerator

PCA® - constant ?ow rate regardless of pressure variations

Connection

Flexible inlet pipes

Electronic parts

Autofocus infrared sensor, Solenoid valve, Low battery indicator

Lever/Handle

Temperature control handle

Mechanical parts

Mixing valve for manual temperature control, Non-return valve(s), Litter ?lter(s)

Special features

Software settings adjustable via App

Spout

Fixed spout, Casted construction

Color Chrome	
Temperature Adjustable hot water stop (included, retro?ttable)	
Software settings	
After?ow period 3s (1-20s)	
Automatic ?ush off (off/1-120h)	
Automatic ?ush period 30 s (1-1800 s)	
Max. ?ow period 2 min (1 - 1800 s)	
Flow attributes	
Flow-rate at 300 kPa (with ?ow controller) 0.1 l/s	
Pressure loss with ?ow (0.1 l/s) 200 kPa	
Technical properties	
Connection size G3/8	
Hot water supply max. +70°C	
Material Brass	
Projection 126mm	
Working pressure 100 - 1000 kPa	

Electronics

Battery Lithium 2CR56V

Regulations

EMC Directive

2014/53/EU

Noise class

I (ISO 3822)

Protection class

IP55

Approvals

STF

EUFI-RTH-00031-11

KIWASE

1622