





SWEDISH TYPE APPROVAL 1462 WITH DECISION ON PRODUCTION CONTROL

Holder: Oras Ltd

P.O. Box 40, 26101 Rauma, Finland

Phone: +46 21816131

E-mail: info.sweden@oras.com Homepage: www.oras.com

Oras Optima, faucet with associated electronic function

Product description

Faucet in brass (EN 817/EN 15091) with and without pop-up waste set and with electronic function. The faucet are installed with type-approved flexible connection hoses or connection pipes. The mixers are equipped with type approved flexible connecting hoses or with connecting pipes.

Single-lever faucet for hot and cold tap water intended to be used in washbasins or sinks.

According to the table in section "Associated documents" in this certificate.

Approval

The products meet the requirements of Chapter 8, Section 4, of the "Planning and Building Act" (PBA) regarding the technical characteristics of construction works « Protection regarding hygiene, health and environment », depending on, that what is stated in this approval is followed. The products are approved according to the following section(s) of "Boverket's Building Regulations" (BBR):

Construction products with assessed properties

6:62, first sentence and paragraph 2 Tap water installations

Tap water flow 6:623, first sentence 6:625, paragraph 1 and 4 Design

Marking

Marking must be affixed on the product or, if there are special reasons, on the packaging or the delivery note. Marking shall indicate the following information:

Oras Ltd

Product name, and relevant article number: Product name (article number)

Production site: Applicable manufacturer or ID code Traceability to the production:

(e.g. yyyy-mm-dd or batchnumber) The registered trademark of Boverket No 241 217:

Kiwa Certification AB (5) Certification Body:

Accreditation number: 1913 Type Approval No: 1462

Inspection Body: Kiwa Certification AB

Kiwa Certification AB

Campus Gräsvik 1 SE-371 75 Karlskrona Sweden

Tel +46 (0)455-30 56 00 Fax +46 (0)455-104 36 se.bygg@kiwa.com www.kiwa.se



Production site:

Oras Ltd., FI-26101 Rauma, Finland.

Control

The manufacturers' continuing internal control is combined with surveillance inspections conducted by an accredited Inspection Body.

Inspection Body: **Kiwa Certification AB**Inspection agreement: 1168/17

Factory production control shall be carried out in accordance with the current instructions for control.

During inspection at the construction site, the building proprietor must verify the identity of the product by means of the marking. Furthermore, the building proprietor must ensure that the correct products are delivered and that they are installed in accordance with the manufacturer's instructions in the accompanying documents. It must also be verified that the product is accompanied by a manufacturer's declaration that certifies that production has been carried out in accordance with the documents that formed the basis for this type approval.

The validity of the Swedish Type Approval also implies that the factory production control is carried out according to the current agreement and that the holder annually fulfils the requirement in "Boverket's regulations and general recommendations for type approval", BFS 2013:6, § 5 (TYP 7), on continuing internal control. The holder shall annually, at the latest on the 15th of December, report to Kiwa Certification AB at the e-mail address se.annualreporting@kiwa.com about continuing surveillance.

Associated documents

Product designation	Article no.	Product description	Installation instructions
Oras Optima	2720F	battery 3 V, touchless kitchen faucet with grip levers for cold and hot water and high swivel	
		spout	
	2722F	plug transformer (230/5 V) touchless kitchen faucet with grip levers for cold and hot water	943297-08-17
	2725F	battery 3 V, touchless kitchen faucet with grip levers for cold and hot water, high swivel spout	
		and electronic dishwasher valve	
	2727F	plug transformer (230/5 V) touchless kitchen faucet with grip levers for cold and hot water, temperature display with hot water warning, high swivel spout and electronic dishwasher valve	
	1714F	battery 6 V, touchless washbasin faucet with a	
	1714FZ*	temperature adjustment handle	943300-11-18
	1724FT	plug transformer (230/12 V) touchless washbasin faucet with a temperature adjustment handle	773300-11-10
	1724FTZ*		

^{*)} bluetooth modells

The assessment basis for the approval

Test reports:

VTT-S-00787-14 and VTT-S-0135-12 issued by Eurofins; DE22UM2D 001 issued by TÜV Rheinland; KA 0291/16 and MO 081/17 issued by TZW.

Assessment report 079/2023 issued by Kiwa Certification AB.

Comments

The Type approval is valid provided that the product shall neither be CE marked according to the Construction Product Regulation (EU) No 305/2011 (CPR), nor has it been suspended or withdrawn by Kiwa Certification AB.

Date of decision: 2023-03-14 Registration number: 079/2023

Valid until: 2028-03-13 Previous registration number: 011/2020

Magnus Jerlmark