



AOC E4 24E4CV computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

Brand : AOC

Product family: E4

Product code: 24E4CV

Product name : 24E4CV

Screen size (inch) 23.8, Panel resolution 1920x1080, Max Refresh rate 120 Hz, Panel type IPS, HDMI HDMI 1.4 x 1, DisplayPort DisplayPort 1.2 x 1 DisplayPort Out, Sync technology (VRR) Adaptive Sync

AOC E4 24E4CV computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black:

Enhance efficiency with the 24E4CV 24" FHD monitor

The 24E4CV features a 24" FHD display with a 120Hz refresh rate and Hardware Anti-Blue Light for sharp, eye-friendly visuals. With a 90W PD docking station and sleek design, it's the perfect solution for boosting productivity and streamlining your workspace.

AOC E4 24E4CV. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	Headphone out *	✓
Display resolution *	1920 x 1080 pixels	Headphone outputs	1
HD type *	Full HD	HDCP	✓
Native aspect ratio *	16:9	HDCP version	1.4/2.2
Display technology *	LED	Network	
Panel type *	IPS	Ethernet LAN	✓
LED backlight	✓	Ergonomics	
Backlight type	W-LED	VESA mounting *	✓
Touchscreen *	✗	Panel mounting interface	100 x 100 mm
Display brightness (typical)	300 cd/m²	Cable management	✓
Response time *	4 ms	Cable lock slot *	✓
Response time measurement type	GTG (Gray to Gray)	Cable lock slot type	Kensington
Anti-glare screen	✓	Height adjustment *	✓
Screen shape *	Flat	Adjustable height (max)	15 cm
Contrast ratio (typical) *	1500:1	Pivot	✓
Contrast ratio (dynamic)	50000000:1	Pivot angle	-90 - 90°
Maximum refresh rate *	120 Hz	Swivelling	✓
Viewing angle, horizontal	178°	Swivel angle range	0 - 175°
Viewing angle, vertical	178°	Tilt adjustment	✓
Display number of colours *	16.7 million colours	Tilt angle range	-5 - 30°
Pixel pitch	0.2745 x 0.2745 mm	Power	
Pixel density	93 ppi	Energy efficiency class (SDR) *	C
Digital horizontal frequency	30 - 140 kHz	Energy efficiency class (HDR) *	D
Digital vertical frequency	48 - 120 Hz	Energy consumption (SDR) per 1000 hours *	11 kWh
Display diagonal (metric)	60.4 cm	Energy consumption (HDR) per 1000 hours *	12 kWh
High Dynamic Range (HDR) supported	✓		
Haze rate	25%		
Surface hardness	3H		

Display		Power	
sRGB coverage (typical)	111.1%	Power consumption (typical) *	15.74 W
Performance		Power consumption (standby) *	0.3 W
AMD FreeSync refresh rate range	48 - 120 Hz	Power consumption (off)	0.3 W
VESA Adaptive Sync support	✓	Power supply type	Internal
Flicker-free technology	✓	Energy efficiency scale	A to G
Low Blue Light technology	✓	Weight & dimensions	
Multimedia		Width (with stand)	542.4 mm
Number of speakers	2	Depth (with stand)	222 mm
RMS rated power	4 W	Height (with stand)	507.4 mm
Built-in speaker(s) *	✓	Weight (with stand)	5.65 kg
Built-in camera *	✗	Width (without stand)	542.4 mm
Design		Depth (without stand)	51 mm
Market positioning *	Office	Height (without stand)	320.2 mm
Product colour *	Black	Weight (without stand)	3.63 kg
Front bezel colour	Black	Packaging data	
Detachable stand	✓	Package width	650 mm
Ports & interfaces		Package depth	139 mm
Built-in USB hub *	✓	Package height	455 mm
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Package weight	7.42 kg
Number of USB Type-C upstream ports quantity	1	Packaging content	
USB Type-A downstream ports quantity	4	Cables included	AC, HDMI, DisplayPort, USB Type-C
USB Power Delivery (USB PD)	✓	DisplayPort cable length	1.8 m
USB Power Delivery up to	90 W	HDMI cable length	1.8 m
HDMI *	✓	Power cable length	1.8 m
HDMI ports quantity	1	Sustainability	
HDMI version	1.4	Sustainability certificates	EPEAT Gold, TCO
DisplayPorts quantity	1	Doesn't contain	Mercury, PVC/BFR
DisplayPort out quantity	1	Other features	
DisplayPort version	1.2	Local dimming	✓
Audio output	✓	Warranty period	5 year(s)
		Compliance certificates	CE
		Mean time between failures (MTBF)	70000 h
		Certification	WEEE,REACH compliant,RoHs compliant,CB,TUV-GS-Mark,TUV Ergo,EAC,FCC



4038986142786

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.