

AUTOMATIC QUICK ACTING SHUT-OFF DEVICE HDS17 (PRODUCT NO. 585381)



UNITOR Automatic Quick Acting Shut-Off Devices (slam shut valves) for reliable protection against dangerous decomposition of acetylene in high pressure pipelines in accordance to EN ISO 14114.

Every device 100% inspected.

The best Automatic Quick Acting Shut-Off Devices in the world

- a pressure sensitive piston valve stops explosive decomposition of acetylene
- immediately cuts off the gas supply in case of decomposition of acetylene

Operation / Usage

- as an Automatic Quick Acting Shut-Off Device according to EN ISO 14114 in high pressure pipelines, which are immediately supplied by more than six cylinders
- UNITOR Automatic Quick Acting Shut-Off Devices may be mounted in any position / orientation

- the maximum ambient / working temperature is 70 °C / 158 °F

Maintenance

- it is recommended that an annual body leakage test is performed
- Automatic Quick Acting Shut-Off Devices are only to be serviced by the manufacturer


Approvals

Designed and manufactured in accordance with EN ISO 15615

Company certified according to ISO 9001

Model	Max. working pressure [bar]	Materials	Weight [g]	Connection [inch]	Order-No.
HDS17	Acetylene (A) 25.0	Aluminium / galvanised steel, chromed, Elastomer	1 797	G 3/4 RH	611-585381

AUTOMATIC QUICK ACTING SHUT-OFF DEVICE HDS17 (PRODUCT NO. 585381)



HDS17

