

SUPPLIER'S DECLARATION OF CONFORMITY (SDoC)

Supplier's Declaration of Conformity for Material Declaration (MD) management

SDoC identification number	SDoC411255
Issuer's name	Wilhelmsen Ships Service AS
Issuer's address	Strandveien 20 Lysaker, NO-1366 Norway

Object of the declaration	TIMM CHAFE GUARD
---------------------------	------------------

The object of the declaration described above is in conformity with the following documents:

Document No.	Title	Edition/date of issue
MD411255	TIMM CHAFE GUARD W65 3M	20/11/2025
MD411256	TIMM CHAFE GUARD W76 3M	20/11/2025
MD411257	TIMM CHAFE GUARD W90 3M	20/11/2025
MD411258	TIMM CHAFE GUARD W100 3M	20/11/2025
MD411259	TIMM CHAFE GUARD W125 3M	20/11/2025
MD411260	TIMM CHAFE GUARD W150 3M	20/11/2025

As per:

- IMO Hong Kong convention, RESOLUTION MEPC 379(80) and MEPC.405(83).
- EU SRR (Regulation (EU) No. 1257/2013).


Additional information

Product does not appear in Table A, B, C and D of appendix 1 and 2 of the Hong Kong Convention nor EU SRR (Regulation (EU) No 1257/2013).

Signed for and on behalf of
Lysaker, 5/8/2026



A. Babrňák
Ropes Technical Product Manager



A. Leow
Global Product Compliance Manager

MATERIAL DECLARATION (MD)

Date 20/11/2025

Company code WSS
 Company name Wilhelmsen Ships Service AS
 Division name MP
 Address Strandveien 20
 Lysaker, NO-1366
 Norway

MD ID-No. Material Declaration for 411255

Contact person Global Product Compliance manager
 Telephone number +65-63954545
 Email address wss.global.sdsinfo@wilhelmsen.com
 SDoC ID number SDoC411028

Remark 1 --

Product name	Product number	Delivered Unit	Product Information
		Amount Unit	
TIMM CHAFE GUARD W65 3M	411255	pcs	See Electronic Product Catalogue

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
EU SRR **	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl >=3)		50 mg/kg	No			
	Radioactive substances		No value	No			
	Certain shortchain chlorinated paraffins		1%	No			
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

MATERIAL DECLARATION (MD)

Date 20/11/2025

Company code WSS
 Company name Wilhelmsen Ships Service AS
 Division name MP
 Address Strandveien 20
 Lysaker, NO-1366
 Norway

MD ID-No. Material Declaration for 411256

Contact person Global Product Compliance manager
 Telephone number +65-63954545
 Email address wss.global.sdsinfo@wilhelmsen.com
 SDoC ID number SDoC411028

Remark 1 --

Product name	Product number	Delivered Unit	Product Information
		Amount Unit	
TIMM CHAFE GUARD W76 3M	411256	PCS	See Electronic Product Catalogue

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
EU SRR **	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl >=3)		50 mg/kg	No			
	Radioactive substances		No value	No			
	Certain shortchain chlorinated paraffins		1%	No			
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

MATERIAL DECLARATION (MD)

Date	20/11/2025	Company code	WSS
		Company name	Wilhelmsen Ships Service AS
		Division name	MP
		Address	Strandveien 20 Lysaker, NO-1366 Norway
MD ID-No.	Material Declaration for 411257	Contact person	Global Product Compliance manager
		Telephone number	+65-63954545
		Email address	wss.global.sdsinfo@wilhelmsen.com
Remark 1	--	SDoC ID number	SDoC411028

Product name	Product number	Delivered Unit	Product Information
		Amount Unit	
TIMM CHAFE GUARD W90 3M	411257	PCS	See Electronic Product Catalogue

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
EU SRR **	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl >=3)		50 mg/kg	No			
	Radioactive substances		No value	No			
	Certain shortchain chlorinated paraffins		1%	No			
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

MATERIAL DECLARATION (MD)

Date 20/11/2025

Company code WSS
 Company name Wilhelmsen Ships Service AS
 Division name MP
 Address Strandveien 20
 Lysaker, NO-1366
 Norway

MD ID-No. Material Declaration for 411258

Contact person Global Product Compliance manager
 Telephone number +65-63954545
 Email address wss.global.sdsinfo@wilhelmsen.com
 SDoC ID number SDoC411028

Remark 1 --

Product name	Product number	Delivered Unit	Product Information
		Amount Unit	
TIMM CHAFE GUARD W100 3M	411258	PCS	See Electronic Product Catalogue

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
EU SRR **	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl >=3)		50 mg/kg	No			
	Radioactive substances		No value	No			
	Certain shortchain chlorinated paraffins		1%	No			
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

MATERIAL DECLARATION (MD)

Date	20/11/2025	Company code	WSS
		Company name	Wilhelmsen Ships Service AS
		Division name	MP
		Address	Strandveien 20 Lysaker, NO-1366 Norway
MD ID-No.	Material Declaration for 411259	Contact person	Global Product Compliance manager
		Telephone number	+65-63954545
		Email address	wss.global.sdsinfo@wilhelmsen.com
Remark 1	--	SDoC ID number	SDoC411028

Product name	Product number	Delivered Unit	Product Information
		Amount Unit	
TIMM CHAFE GUARD W125 3M	411259	PCS	See Electronic Product Catalogue

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
EU SRR **	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl >=3)		50 mg/kg	No			
	Radioactive substances		No value	No			
	Certain shortchain chlorinated paraffins		1%	No			
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

MATERIAL DECLARATION (MD)

Date	20/11/2025	Company code	WSS
		Company name	Wilhelmsen Ships Service AS
		Division name	MP
		Address	Strandveien 20 Lysaker, NO-1366 Norway
MD ID-No.	Material Declaration for 411260	Contact person	Global Product Compliance manager
		Telephone number	+65-63954545
		Email address	wss.global.sdsinfo@wilhelmsen.com
Remark 1	--	SDoC ID number	SDoC411028

Product name	Product number	Delivered Unit	Product Information
		Amount	Unit
TIMM CHAFE GUARD W150 3M	411260		Coil
See Electronic Product Catalogue			

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
EU SRR **	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl >=3)		50 mg/kg	No			
	Radioactive substances		No value	No			
	Certain shortchain chlorinated paraffins		1%	No			
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.