

SUPPLIER'S DECLARATION OF CONFORMITY (SDoC)

Supplier's Declaration of Conformity for Material Declaration (MD) management

SDoC identification number	SDoC411148
Issuer's name	Wilhelmsen Ships Service AS
Issuer's address	Strandveien 20 Lysaker, NO-1366 Norway

Object of the declaration	Acera Amundsen SBA ropes
---------------------------	--------------------------

The object of the declaration described above is in conformity with the following documents:

Document No.	Title	Edition/date of issue
MD411148	ACERA AMUNDSEN SBA S60 [27MM] 220M	20/11/2025
MD410024	ACERA AMUNDSEN SBA S65 [29MM] 220M	20/11/2025
MD411152	ACERA AMUNDSEN SBA S75 [31MM] 220M	20/11/2025
MD411156	ACERA AMUNDSEN SBA S85 [34MM] 220M	20/11/2025
MD410148	ACERA AMUNDSEN SBA S100 [37MM] 220M	20/11/2025
MD411160	ACERA AMUNDSEN SBA S105 [37MM] 220M	20/11/2025
MD410026	ACERA AMUNDSEN SBA S115 [40MM] 220M	20/11/2025
MD411164	ACERA AMUNDSEN SBA S125 [42MM] 220M	20/11/2025
MD411225	ACERA AMUNDSEN SBA S125 [42MM] 275M	20/11/2025
MD411168	ACERA AMUNDSEN SBA S145 [45MM] 220M	20/11/2025
MD411226	ACERA AMUNDSEN SBA S145 [45MM] 275M	20/11/2025

As per:

- IMO Hong Kong Convention, RESOLUTION MEPC.379(80) and MEPC.405(83)
- EU SRR (Regulation (EU) No 1257/2013)

Additional information


Product does not appear in Table A, B, C and D of appendix 1 and 2 of the Hong Kong Convention nor EU SRR (Regulation (EU) No 1257/2013).

Signed for and on behalf of

Lysaker, 5/8/2026



A. Babrňák
Ropes Technical Product Manager



A. Leow
Global Product Compliance Manager

MATERIAL DECLARATION (MD)

Date 20/11/2025

Company code WSS
 Company name Wilhelmsen Ships Service AS
 Division name MP
 Address Strandveien 20
 Lysaker, NO-1366
 Norway

MD ID-No. Material Declaration for 411148

Contact person Global Product Compliance manager
 Telephone number +65-63954545
 Email address wss.global.sdsinfo@wilhelmsen.com
 SDoC ID number SDoC411148

Remark 1 --

Product name	Product number	Delivered Unit	Product Information
		Amount Unit	
ACERA AMUNDSEN SBA S60 [27MM] 220M	411148	Coil	See Electronic Product Catalogue

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
EU SRR **	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl ≥3)		50 mg/kg	No			
	Radioactive substances		No value	No			
	Certain shortchain chlorinated paraffins		1%	No			
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

MATERIAL DECLARATION (MD)

Date 20/11/2025

Company code WSS
 Company name Wilhelmsen Ships Service AS
 Division name MP
 Address Strandveien 20
 Lysaker, NO-1366
 Norway

MD ID-No. Material Declaration for 410024

Contact person Global Product Compliance manager
 Telephone number +65-63954545
 Email address wss.global.sdsinfo@wilhelmsen.com
 SDoC ID number SDoC411148

Remark 1 --

Product name	Product number	Delivered Unit	Product Information
		Amount Unit	
ACERA AMUNDSEN SBA S65 [29MM] 220M	410024	Coil	See Electronic Product Catalogue

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
EU SRR **	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl >=3)		50 mg/kg	No			
	Radioactive substances		No value	No			
	Certain shortchain chlorinated paraffins		1%	No			
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

MATERIAL DECLARATION (MD)

Date 20/11/2025

Company code WSS
 Company name Wilhelmsen Ships Service AS
 Division name MP
 Address Strandveien 20
 Lysaker, NO-1366
 Norway

MD ID-No. Material Declaration for 411152

Contact person Global Product Compliance manager
 Telephone number +65-63954545
 Email address wss.global.sdsinfo@wilhelmsen.com
 SDoC ID number SDoC411148

Remark 1 --

Product name	Product number	Delivered Unit	Product Information
ACERA AMUNDSEN SBA S75 [31MM] 220M	411152	Coil	See Electronic Product Catalogue

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
EU SRR **	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl >=3)		50 mg/kg	No			
	Radioactive substances		No value	No			
	Certain shortchain chlorinated paraffins		1%	No			
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

MATERIAL DECLARATION (MD)

Date 20/11/2025

Company code WSS
 Company name Wilhelmsen Ships Service AS
 Division name MP
 Address Strandveien 20
 Lysaker, NO-1366
 Norway

MD ID-No. Material Declaration for 411156

Contact person Global Product Compliance manager
 Telephone number +65-63954545
 Email address wss.global.sdsinfo@wilhelmsen.com
 SDoC ID number SDoC411148

Remark 1 --

Product name	Product number	Delivered Unit	Product Information
		Amount Unit	
ACERA AMUNDSEN SBA S85 [34MM] 220M	411156	Coil	See Electronic Product Catalogue

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
EU SRR **	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl >=3)		50 mg/kg	No			
	Radioactive substances		No value	No			
	Certain shortchain chlorinated paraffins		1%	No			
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

MATERIAL DECLARATION (MD)

Date 20/11/2025

Company code WSS
 Company name Wilhelmsen Ships Service AS
 Division name MP
 Address Strandveien 20
 Lysaker, NO-1366
 Norway

MD ID-No. Material Declaration for 410148

Contact person Global Product Compliance manager
 Telephone number +65-63954545
 Email address wss.global.sdsinfo@wilhelmsen.com
 SDoC ID number SDoC411148

Remark 1 --

Product name	Product number	Delivered Unit	Product Information
		Amount Unit	
ACERA AMUNDSEN SBA S100 [37MM] 220M	410148	Coil	See Electronic Product Catalogue

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
EU SRR **	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl >=3)		50 mg/kg	No			
	Radioactive substances		No value	No			
	Certain shortchain chlorinated paraffins		1%	No			
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

MATERIAL DECLARATION (MD)

Date 20/11/2025

Company code WSS
 Company name Wilhelmsen Ships Service AS
 Division name MP
 Address Strandveien 20
 Lysaker, NO-1366
 Norway

MD ID-No. Material Declaration for 411160

Contact person Global Product Compliance manager
 Telephone number +65-63954545
 Email address wss.global.sdsinfo@wilhelmsen.com
 SDOc ID number SDOc411148

Remark 1 --

Product name	Product number	Delivered Unit	Product Information
ACERA AMUNDSEN SBA S105 [37MM] 220M	411160	Amount Unit	See Electronic Product Catalogue

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
EU SRR **	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl >=3)		50 mg/kg	No			
	Radioactive substances		No value	No			
	Certain shortchain chlorinated paraffins		1%	No			
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

MATERIAL DECLARATION (MD)

Date 20/11/2025

Company code WSS
 Company name Wilhelmsen Ships Service AS
 Division name MP
 Address Strandveien 20
 Lysaker, NO-1366
 Norway

MD ID-No. Material Declaration for 410026

Contact person Global Product Compliance manager
 Telephone number +65-63954545
 Email address wss.global.sdsinfo@wilhelmsen.com
 SDoC ID number SDoC411148

Remark 1 --

Product name	Product number	Delivered Unit	Product Information
		Amount Unit	
ACERA AMUNDSEN SBA S115 [40MM] 220M	410026	Coil	See Electronic Product Catalogue

This materials information shows the amount of hazardous materials contained in product

Table	Material name	Threshold value	Present above threshold value	If Yes, Material mass	If yes, information where it is used
			Yes / No	Mass Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No	
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No	
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No	
		Halons		No	
		Other fully halogenated CFCs		No	
		Carbon tetrachloride		No	
		1, 1, 1-Trichloroethane		No	
		Hydrochlorofluorocarbons		No	
		Hydrobromofluorocarbons		No	
		Methyl bromide		No	
		Bromochloromethane		No	
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No	
		e.g. Triphenyl tins (TPTs)		No	
		e.g. Tributyltin oxide (TBTO)		No	
	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No	
EU SRR **	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg ²	No		

Table	Material name	Threshold value	Present above threshold value	If Yes, Material mass	If yes, information where it is used
			Yes / No	Mass Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds	100 mg/kg	No		
	Hexavalent chromium and hexavalent chromium compounds	1000 mg/kg	No		
	Lead and lead compounds	1000 mg/kg	No		
	Mercury and mercury compounds	1000 mg/kg	No		
	Polybrominated biphenyl (PBBs)	50 mg/kg	No		
	Polybrominated diphenyl ethers (PBDEs)	1000 mg/kg	No		
	Polychloronaphthalenes (Cl >=3)	50 mg/kg	No		
	Radioactive substances	No value	No		
	Certain shortchain chlorinated paraffins	1%	No		
EU SRR **	Brominated flame retardant (HBCDD)	100 mg/kg	No		

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

MATERIAL DECLARATION (MD)

Date 20/11/2025

Company code WSS
 Company name Wilhelmsen Ships Service AS
 Division name MP
 Address Strandveien 20
 Lysaker, NO-1366
 Norway

MD ID-No. Material Declaration for 411164

Contact person Global Product Compliance manager
 Telephone number +65-63954545
 Email address wss.global.sdsinfo@wilhelmsen.com
 SDoC ID number SDoC411148

Remark 1 --

Product name	Product number	Delivered Unit	Product Information
ACERA AMUNDSEN SBA S125 [42MM] 220M	411164	Amount Unit	See Electronic Product Catalogue
		Coil	

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
EU SRR **	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl ≥3)		50 mg/kg	No			
	Radioactive substances		No value	No			
	Certain shortchain chlorinated paraffins		1%	No			
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

MATERIAL DECLARATION (MD)

Date 20/11/2025

Company code WSS
 Company name Wilhelmsen Ships Service AS
 Division name MP
 Address Strandveien 20
 Lysaker, NO-1366
 Norway

MD ID-No. Material Declaration for 411225

Contact person Global Product Compliance manager
 Telephone number +65-63954545
 Email address wss.global.sdsinfo@wilhelmsen.com
 SDoC ID number SDoC411148

Remark 1 --

Product name	Product number	Delivered Unit	Product Information
ACERA AMUNDSEN SBA S125 [42MM] 275M	411225	Coil	See Electronic Product Catalogue

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halon		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
EU SRR **	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl >=3)		50 mg/kg	No			
	Radioactive substances		No value	No			
EU SRR **	Certain shortchain chlorinated paraffins		1%	No			
	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

MATERIAL DECLARATION (MD)

Date 20/11/2025

Company code WSS
 Company name Wilhelmsen Ships Service AS
 Division name MP
 Address Strandveien 20
 Lysaker, NO-1366
 Norway

MD ID-No. Material Declaration for 411168

Contact person Global Product Compliance manager
 Telephone number +65-63954545
 Email address wss.global.sdsinfo@wilhelmsen.com
 SDOc ID number SDOc411148

Remark 1 --

Product name	Product number	Delivered Unit	Product Information
ACERA AMUNDSEN SBA S145 [45MM] 220M	411168	Coil	See Electronic Product Catalogue

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
EU SRR **	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl ≥3)		50 mg/kg	No			
	Radioactive substances		No value	No			
	Certain shortchain chlorinated paraffins		1%	No			
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

MATERIAL DECLARATION (MD)

Date 20/11/2025

Company code WSS
 Company name Wilhelmsen Ships Service AS
 Division name MP
 Address Strandveien 20
 Lysaker, NO-1366
 Norway

MD ID-No. Material Declaration for 411226

Contact person Global Product Compliance manager
 Telephone number +65-63954545
 Email address wss.global.sdsinfo@wilhelmsen.com
 SDOc ID number SDOc411148

Remark 1 --

Product name	Product number	Delivered Unit	Product Information
ACERA AMUNDSEN SBA S145 [45MM] 275M	411226	Coil	See Electronic Product Catalogue

This materials information shows the amount of hazardous materials contained in product

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table A (materials listed in appendix 1 of the Convention)"	Asbestos	Asbestos	0.1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No value	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	No			
		e.g. Triphenyl tins (TPTs)		No			
		e.g. Tributyltin oxide (TBTO)		No			
EU SRR **	Anti-fouling system containing Cybutryne		200 mg/kg ¹	No			
	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg ²	No			

Table	Material name		Threshold value	Present above threshold value	If Yes, Material mass		If yes, information where it is used
				Yes / No	Mass	Unit	
"Table B (materials listed in appendix 2 of the Convention)"	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl >=3)		50 mg/kg	No			
	Radioactive substances		No value	No			
	Certain shortchain chlorinated paraffins		1%	No			
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Declarations

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

¹ This threshold value is based on appendix I of the 2022 Guidelines for survey and certification of anti-fouling systems on ships (resolution MEPC.358(78)) for samples taken from wet paint containers.

² Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.